


## PORTABLE ELECTRIC TOOLS

THOR POWER TOOL COMPANY . AURORA, ILLINOIS

Distributed By



THOR AURORA, ILL. MAIN WORKS

Thor—manufacturer of portable power tools since 1893, and for nearly 40 years the pioneer in new electric tool developments—introduces in this catalog the highest quality ever attained in universal electric tools . . . the Thor "Silver Line."

Released to the field beginning in 1948, the "Silver Line" marks a peak in Thor achievement as the designer and manufacturer of so many "firsts" in electric tools.

Thor "Silver Line" electric tools—drills, screwdrivers, saws, nut setters, grinders, sanders and polishers—are built to the highest quality standards set by tool users in industry, the automotive service field, and the construction market, who demand efficient performance and long service in electric tools so vital to meet their production, service and construction schedules.

Trademark of the new "Silver Line" beyond its top quality construction and performance is the highly polished finish on the die-cast housings of all tools in the line.

In the "Silver Line" and in all models in the Thor universal electric tool line — hammers, valve refacers, valve seat grinders, bench grinders and associated tools — highest quality of materials and craftsmanship is the policy of Thor production, carrying with every model a guarantee of longer service, trouble-free performance and the maximum in power and handling ease.



## UNIVERSAL ELECTRIC TOOLS

## EQUIP-MENT

Thor universal electric tools are furnished with three-wire cables and two-prong plugs suitable for plugging into standard recep-

tacles. The third wire in the cable, green in color, is furnished with a connector to permit grounding the tool as a safety precaution.

## MOTORS

All portable electric tools shown in this catalog are furnished with universal motors which may be operated either on direct current or alternating current of 60 cycles or less at the voltage specified. Bench grinders and valve refacers are furnished standard for operation only on alternating current. On special order, bench grinders are available with direct current motors: valve refacers with universal motors.

## **VOLTAGES**

Thor motors are furnished standard for operation on 115 volt (110 to 120 volt) current. 220 volt motors can be furnished when spe-

cified. Special voltage motors in tools built for export use are also available for domestic use on special orders.

## PARTS INTERCHANGE-ABILITY

All Thor tool parts, including stock repair parts, are precision manufactured for ready interchangeability, Thor has designed its new

Silver Line tools with many parts interchangeable from one tool to another, permitting faster and more economical service for tool users and distributors who stock their own repair parts.



A symbol of power and endurance in Norse mythology, Thor, the God of Thunder, has furnished a filting trade name for the world's most powerful electric and air tools.

## ALPHABETICAL INDEX

AIR TOOL KIT	38
BALANCERS	18
BELT SANDERS	26
BENCH GRINDERS	28
DRILLS	4-12
FENDER HAMMERS	37
GRINDERS	28-29
HAMMER	24-25
IMPACT WRENCHES .	14-15
NIBBLER	25
NUT SETTERS	14-21
POLISHERS	30
SANDERS	26-27
SAWS	. 22-23
SCREWDRIVERS	. 16-21
TAPPERS	13
VALVE GRINDERS	33-34
VALVE REFACERS	31-32

**ACCESSORIES** IN ALL SECTIONS



Tilver Line



Available in seven speeds and a right angle model for all general purpose drilling. Slow speed models provide increased torque for drilling stainless steel, monel and other hard alloys and for driving hole saws up to 11/8". Exceptionally good balance and light weight make the 1/4" Silver Line a perfect one-hand tool, especially for close quarter and overhead work.

#### 

5000		ED5		\$42.00	
3700		EDÓ		42.00	
2500		EDI		42.00	
	SLOW	SPEED	MODELS		
1100		ED3		\$48.00	
800		ED7		48.00	
550		ED4		46.00	

ALL MODELS EQUIPPED with 3-jaw chuck and key; platel grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

## 1/4" RIGHT ANGLE DRILL





THREE JAW GEARED CHUCK with key, capacity zero to 1/4.
HEAVY DUTY BALL BEARINGS forcughous, grease-sealed for min-

LARGE VENTILATING FAN AND SLOTS provide cooler handling.

EASILY REMOVED HANDLE for quick access to switch and brushes for inspection and cleaning.

OVER CAPACITY SWITCH is neoprene sealed for and less

DYNAMICALLY AND STATIC-ALLY BALANCED MOTOR developes 25% more power than any other standard duty drill in

GEARS are of high grade alloy steel, scientifically heat treated for strength and long wear. BRIDGED SUPPORT for upper armature bearing maintains permenent alignment for greater ac-

DIE CAST ALUMINUM HOUS-INGS for minimum weight without sacrifice of sturdiness or dur-

curacy and long wear.

imum maintenance,

longer life of motor.

Standard Chuck

Optional Collet

Right angle head rotates to four positions, up, down, sideways, through 360°. Length of right angle hand with standard 3-jaw chuck,  $3^{11}/16^{11}$ : with optional 1/4° collet,  $2^{15}/16^{11}$ .

Code	ED141
Speed	2250 R.P.M.
Weight	3 1/8 lbs.
Shipping Weight	Blbs.
Length Overall	10"
PPICE	\$57.00

EQUIPPED with 3-law chuck and key; pisted grip handle with momentary trigger switch and locking pla; seven feet of 3-conductor number cable with 2-prong plug and ground connector. Optional: Wiff collect instead of chuck,





### SIDE HANDLE MODEL

All "F" series drills can be equipped with side handle at no extra charge, When ordering, add letter "5" to code number. Rated as a production tool for assembly lines and other heavy duty work, the Thor 1/4" heavy duty "F" series is available in two handle styles and seven speeds, including four slaw speeds recommended for drilling in stainless steel and for driving Hote Saws up to 1 1/4". Extra motor power, oversize gearing, ball bearing construction throughout gives these tools the stamina to stand up under hard and heavy usage.

EQUIPPED with 3-law chuck and key; momentary frigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

#### STANDARD SPECIFICATIONS

Code No.	U14F
Capacity	
Speed	2500 R.P.M.
Weight	3 ½ lbs.
Shipping Weight	5 lbs.
Overall Length	·····································
PRICE	545.00

MODELS			SLOW SPEED MODELS		
Code	R.P.M.	Price	Code	R.P.M.	Prion
U13F U12F	5000 3750	\$45,00 45,00	U17FD U18FD U18FD U22FD	1500 1000 250 500	\$53,50 \$3,50 \$3,50 \$3,50

## HEAVY DUTY PLASTIC CASE

- SHOCK PROOF—Completely insulated, like a plastic-handled screwdriver.
- DURABLE—Tempered plastic outer housings are completely supported and reinforced by inner aluminum frame.
- IS% LIGHTER—Heavy duty power, standard duty weight.



## STANDARD SPECIFICATIONS

GOOD.	11. H 11. L
Capacity	· · · · · · · · · · · · · · · · · · ·
Speed	
Weight	3 1/4 lbs.
Shipping Waight,	.,,,,
Overall Length	
PRICE	\$45.00

#### OPTIONAL SPEED MODELS

Code	R.P.M.	Price
U12K	3750	\$45.00
U13K	5000	45.00

All "K" series drills can be equipped with side handle at no extra charge. When ordering, add letter "S" to code number. A heavy duty tool with same rated production capacity as the "F" series Silver Lines.

EQUIPPED with 3-jaw chuck and key; momentary trigger switch and tocking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.



# COPPER/ine

1/4" DRILL KIT \$4350

The complete "home workshop" package, featuring the Thor 1/4" Copper Line electric drill, with 3-jaw geared chuck, pistol grip, and trigger switch with locking pin; equipped with 19 assorted accessories for drilling, buffing, polishing, grinding and vire brushing; also equipped with horizontal stand to mount drill for bench and or table operation; entire contents packaged in convenient steel carrying case.

Vertical Drill Stand readily mounts 4CL or 4CLI 1/4" Copper Line electric drill for use as drill press. See page 11.



Set of 13, 7." to 1/4" for fast drilling in steel wood.



PRECISION ARBOR

Permits use of grind-ing wheels, buffing wheels, wire brushes.



DRILL STAND Grinding, buffing, wire



.50

CONTENTS OF NO. 4CLJK KIT

(Including list prices of all items that may be purchased to replace original

kit contents)	
No. 4CLJ 1/41* Copper Lin	522.95
No. 22764 Horizontal Van Drill Stand	
No. 74757 Arbor Adaptor to 14" Shank and 15" Spi	with adle .bt
No. 22765 4" Wire Brush.	1,00
No. 22766 3" Grinding Wh	reel, .7!
No. 22767 3" Cotton	

Buffing Wheel .....

No. 22768 Stick of Polishing Compound Set of 13 High-Speed Drill Bits, 1/16" to 14" (Not Sold Separately) Steel Carrying Case (Not Sold Separately) Net Weight of Kit.....101/4 lbs. Shipping Weight .....12 lbs. No. 4CLJK Kit, contents on obove, list price complete.\$43.50

No. 4CLK Kit, with same contents as above with 'A'." Ther Copper Line Drill sequipped with keyless chuck instead of 3-jaw geared chuck, list price complete ....\$41.00



COMPOUND Brings dullest surface to bright sheen.



3" BUFFING WHEEL For polishing, clean-ing, buffing.



4" WIRE BRUSH For cleaning off rust, scale, dirt, greate.



3" GRINDING WHEEL

For sharpening tools, knives, shaping metal.

Procision die-cast aluminum alloy housings assure permanent alignment of moving parts for longer trouble-free service. Hordened alloy steel precision geers, extra large precision ground journals for longer endurance and true running. Selflubricating oilite bearings and spindle thrust ball bearing.

#### WA" DRILL SPECIFICATIONS

- 1 4 11	101 I 401
Catalog No	4CLJ,
Chick	. Geared Kayless
Capacity in Steel	
	7%"
Net Weight	.2% [bi2% ]bs.
Shipping Weight	4 lbs
Free Speed 2000	R. P. M., 2000 R. P. M.
Price	.\$22.95\$19.95

EQUIPMENT — On-off Irigger type plunger switch, with locking pin for continuous operation. Rubber-covered 3-conductor cable with Irprong plug and grounding connector. Equipped for ready mounting in horizontal or vertical drill stand.



Silver Line

# Thors

## HEAVY DUTY DRILLS

1/4" DRILL \$55.00

5/16" DRILL \$57.50

3/8" DRILL \$64.50



These tools are production tools—designed with power to spare for heavy duty use at rated capacity. All ball bearings; heat treated gears assure long, trouble-free service.

EQUIPPED with 3-law chuck and key; momentary trigger switch and locking pin; seven feet of 3-conductor rubber cable with 2-prong plug and ground connector.

	SPECIFIC	JAHUN	3	
Capacity Speed R.P.I Handle Weight Shipping We Overall Lan	vight.	2000 Grip 6½ lbs. 8½ lbs.	EJI 1500 Grip 6% Ibs. 8½ Ibs. 12,1,1" 557.50	5J2 %" 1000 Grip 7% 161. 9 165. 12%" \$64.50
AD	DITIONAL	5/16" N	ODEL!	5
Code	R.P.M.	Handle		Price
	1000	Grip		\$60.50
EJ6	1500	Side		57.50
Al	DITIONAL	3/8" M	ODELS	

750 Gelp \$64.51 1000 Side 64.51

\*Specify "Code EJ2 with ₹" chuck."



## COPPER line


## 1/2" DRILL

Low in price . . . built by That to quality specifications for long service in the home workshop and for other standard duty intermittent service. Drills holes up to 1/2" in steel, I" in wood, drives hole saws, wire brushes, grinding wheels, etc. Can be used in drill stand as drill press. Die-cast aluminum housings, self-

lubricated bearings. Equipped with 3-jaw chuck and key; seven feet of 3-conductor cable with 2-prong plug and ground connector.

Code		
Capacity		
Speed		420 R.P.M.
Weight		
Shipping	Weight	12 1/2 1bs.
Length.,		141/2"
PRICE		\$42.00





## LARGE CAPACITY DRILLS



These tools are ruggedly built for heavy duty service in truck, bus and railroad shops, ship yards and other large equipment manufacturing and maintenance plants, Heavy section aluminum housings, alloy steel gears, reserve-power motors, all ball bearing construction.



FEED SCREW ASSEM-BLY \$10.00 extra on all EL and UF drills,

#### EXTRA HEAVY DUTY

 Code
 ELS

 Capacity
 1/2

 R.9 M
 525°

 Walght
 15 lbs

 Shipping Wt
 25 lbs

 Length Overall
 14½"

 Spindle Offset
 1½"

 PRICE
 584.00

 Continent
 1/4"

EQUIPPED with Sijaw chuck and key; side switch handle with locking pin, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 1 or No. 2 Morse Taper Socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly complete. \$40.00

\*Available at 750 R.P.M., \$5.00 extra. (Specify Code EL4)

UFD-5/8"

UFH-3/4"

UFS-7/8"

UFZ-1"

### HEAVY DUTY

Speed. 425 R.P.M.
Weight 15½ fbs.
Shipping Weight 25 lbs.
Length Overal 14½"
Spindle Offset 14½"
PRICE 885.00
EQUIPPED with 3-jaw chuck and key; side switch handle with lacking pin, spede handle and removable dead handle; savan feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 Mosse Taper socket in place of chuck.
EXTRA: No. 80450 Feed Sprew assembly complete, \$10.00 extra.

### EXTRA HEAVY DUTY

Code	JFD
Capacity	in the second
Speed 4	30 R.P.M.
Weight	24 % Ibs.
Shipping Weight	9 flos.
Length Overall	7''
Spindle Ollset	23/6/11
PRICE	\$165.00
COMPAND THE STATE OF THE STATE	

EQUIPPED with 3-jaw chuck and key; safety switch handle, spade hendle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 Marse Capes socket in place of chuck EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

### STANDARD DUTY

CodeEL7	
Capacity	
Speed	М.
Weight	ä.
Shipping Weight	
Length Overall	
Spindle Offset	
PRICE	00
PARTIESPE . 12 Str. Str. Land Land 11	Call.

EQUIPPED with 3-jaw chuck and key; side switch handle with locking pin, speed handle and removable dead handle; seron feet of 3-conductor cable with 2-prong plug and ground connector. Optional; No. 2 or No. 3 Morse Taper socket in place of chuck. EXTRA: No. 80450 Feed Screw assembly, \$10.00 extra,

## EXTRA HEAVY DUTY

Code,	EH
Capacity	E 13
Speed3	50 R.P.M.
Weight	
Shipping Weight	
Length Overall :: Spindle Offset :: 2	
PRICE.	78
F 15 1 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	112.00

EQUIPPED with 3-jaw chuck and key; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: No. 2 or No. 3 Morse Taper socket in place of chuck. Extra: No. 81873 Feed Screw assembly complete, \$19.00 extra.

### HEAVY DUTY

Code	
Drilling Capacity	-
Reaming Capacity	
Spend	
Weight, 25 1/4	bs.
Shipping Weight	
Length Overall	
Spindle Offset	
PRICE. \$170.0	0
ANTIBORE TO BE A TO THE PERSON OF THE PERSON	44

EQUIPPED with No. 3 internal Morse Taper; safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector. EXTRA: No. 31873 Feed Screw assembly complete, 310,00 extra.

### HEAVY DUTY

	**************************	
Reaming Capacity	dib-dib-di	94"
Weight		29 Ibs.
Shipping Weight		37 lbs.
Leagth	dittelled the ditted the excession of the state of the st	197/4"
Spindle Offset		26/4
PRICE		\$132.00
BANDONER - SE EL-	S to be small State of France	

EQUIPPED with No. 3 Internal Morse Taper; safety switch handle, spade handle and removable dead handle; seven feet of 1-conductor cable with 2-prong plug and ground connector. EXTRA: No. 81873 Feed Screw assembly complete, \$10.00 extra.

# Thors

## 1-1/4" DRILLS



Tremendous power for drilling in steel up to 11/4" holes; for heavy duty reaming, non-reversible studsetting, for use with earth-boring augers, etc.; 21/2 h.p. motor runs at 350 R.P.M. on U3Z, is geared down to 78 R.P.M. for high torque, slow speed heavy duty applications on U3S.

Code	U3Z	U35
Orilling Capacity	1 1/4"	15/4"
Reaming Capacity	15/16	H.D.
Spand R P M.	350	78
Weight	49 1/2 lbs.	93 lbs.
Shinging Weight	7 l. bs.	115 lbs.
Legath Overall	19 /6	211/4
Spindle Offset	7 %	4 1/8
PRICE	\$200.00	\$250.00

EQUIPPED with No. 3 Internal Morse Taper Socket, safety switch handle, dead handle, feed screw, 7 feet of 3-conductor cable with ground connector. Optional: 11/4" square hole chuck, spade handle instead of feed screw. Extra-charge equipment: No. 3 Internal Morse Taper Use-Em-Up Socket.

## COAL DRILLS

Abundant power for blast hole drilling in coal. Heavy duty motor and gearing, ball bearing construction, reinforced aluminum housings make this a sturdy tool for long service under rugged conditions. Safety switch shuts off current instantly upon release.

Code Speed.	UFŞ-C 350 R.P.M.	UFZ-C 300 R.P.M.
Weight Shipping Weight	25/4 lbs.	26 1/4 lbs. 40 lbs.
Length Overall	187/8"	19 1/8" 5142.00

EQUIPMENT includes flat taper coal-auger chuck, safety switch handle, spade handle and removable dead handle; seven feet of 3-conductor cable with 2-prong plug and ground connector.

MOTOR TYPES: Tools are furnished standard with AC/DC Universal Meter, 115 or 220 volts as specified. Can be furnished for constant 250 volt 0.C. operation, complete as specified above, \$7.50 extra.





## DRILL STANDS

Convert Portable Electric Drills to stationary use as Drill Press, for added leverage and accuracy.

## No. 8 Drill Stand, Bench Type

For small drills up to 1/3" capacity. Available in three drill clamp models for (1) pistol grip drills; (2) end-grip type drills; or (3) side handle drills. WHEN ORDERING SPECIFY CODE NUMBER OF DRILL WITH WHICH STAND WILL BE USED.

	Drill Clamp Style			
	(1)	(2)	(3)	
Vertical Movement	3 "	3"	3"	
Vartical Adjustment	11 1/2"	12"	121/2"	
Bench Space	85/16"x 13"	85/16"x 13"	85/16"× 13"	
Weight, Pounds	29	30	32	
Shipping Wt., Lbs.	47	47	47	
PRICE	\$28.50	528.50	\$28.50	



## No. 26 Drill Stand, Bench Type

For large drills, 1/2" to 1" capacity. When ordering, specify code number of drill with which stand will be used.

Vertical Movement	5"
Vertical Adjustment	14"
Beach Space	15" x 9"
Weight, Pounds	50
Shipping Weight, Lbs.	60
PRICE	\$44.00



## No. 30 Drill Stand, Post Type

For large drills only, 1/2" to 1" capacity, Can be fastened to post or wall with lag screws or expansion bolts, requires no bench space. When ordering, specify code number of drill with which stand will be used.

Vertical Movement	5**
Vertical Adjustment	14"
Distance, Wall to Conter of Drill	141/2"
Weight, Pounds	68
Shipping Weight, Lbs.	80
PRICE	\$49.50

## COPPER LINE

## Drill Stands

Low priced drill stands available in two sizes for 1/4" Copper Line Drill and 1/2" Copper Line Drill.

For Drill, Code No	4CLJ	C6	E
Stand Code No	4CLDS	C8D5	4
Vertical Movement	3"	5"	7
Vertical Adjustment	11%"	14"	
Bench Spaco	12%" x 81/2"	12 1/4" x 8 1/16"	
Weight, Lbs	. II ¾	32	-
Shipping Weight, Lbs.	25	44	
PRICE	\$12,95	\$19.95	•

## ELECTRIC DRILL

## ACCESSORIES

## CHUCKS



Chuck Size	Thread Size	Check No.	Price	Key No.	Price
3/16"	34" x 24	68252	5 5.50	25017	\$0.40
1/16 *	%" x 24	66929	5.50	25017	0.40
1/2"	3/6" x 24	25011	5.50	25017	0.40
1/4	3/8" x 24	20033	5.50	20034	0.40
16	3/6" = 24	25076	6.00	25081	0.40
5/14"	1/5" x 20	76655	6.00	25081	0.40
360	3/4" x 24	70546	6.50	73902	0.40
3/611	1/5" x 20	25082	6.50	20039	0.50
500	5/2" x 16	20073	6.50	20039	0.50
1/2"	1/5" x 20	75724	7.50	20039	0.50
1/5"	56" x 16	25245	7.50	20039	0.50
1/211×	5/8" x 16	25252	8.00	20100	0.50
5/ 11	5/2" x 16	25207	9,50	20100	0.50
3/201	5/8" x 16	70486	12.00	70489	0.95
3/4"	34" x 16	76340	12,00	70489	0.95

\*Heavy Duty

### MORSE TAPERS

### MORSE TAPER SHANK ADAPTORS



External M.T.	Male Thread	No.	Price
No. 2	%" × 16 %" × 16	70529	\$4.35
No. 3	% ''×16	70803	7.25

### MORSE TAPER SOCKETS



Internal M.T.	Fomala Thread	No.	Prica
No. I	%"×24	70805	\$3.35
No. I	1/2" x 20	67031	3.70
No. I	3/4" + 16	59335	3.35
No. 2	√2" x 20	69996	4.75
No. 2	56" x 16	59441	3.35
No. 2	3/4" x 16	76765	6.00
No. 3	5/2" x 16	75822	3.35
No. 3	34" x 16	76766	6,00

### MORSE TAPER SLEEVES



External M.T.	Internal M.T.	Na.	Price
No. 2	No. 1	21798	\$ .85
No. 3	No. 2	22471	1.10



## ELECTRIC DRILL

## ACCESSORIES

## HOLE SAWS





HOLE SAW ARBORS are furnished with 1/4" or 1/2" shank. See chart. 1/4" Pilot Drill to fit any arbor listed, order No. 21086. Price, \$0.95

	HOLL	SAWS		AR	BORS	
Diameter	Catalog		V₂° 5	1/2" Shank		bank
	Number	Price	Arbor No.	Prica	Arbor No.	Price
3/4"	20935	\$1.20	20957	\$1.85	21085	\$1.20
√8	20936	1.20	20957	1.85	21085	1.20
, o	20937	1.20	20957	1.85	21085	1,20
11/8"	20938	1.32	20957	1.85	21085	1,20
11/4"	20939	1.32	20957	1.85	21085	1.20
13% "	20940	1.32	20957	1.85	21085	1.20
13/8"	20941	1.32	20757	1.85	21085	1.20
156"	20942	1,52	20958	1.85		
144"	20743	1,52	20958	1.85		
17/8"	20944	1.52	20958	1.85		
2.50	20945	1.52	20958	1.85		
21/4"	20946	2.00	20958	1.85		
21/4"	20947	2.00	20958	1.85		
21/4" 21/4" 23/4"	20946	2.00	2095B	1.85	1	
21/2"	20949	2.00	20958	1.85		
2 3/8"	20950	2.00	20958	1.85		
234	20951	2.00	20958	1.85		
21/2"	20952	2.00	20958	1.85		
3"	20953	2.00	20958	1.85		
31/8"	20954	2.00	20958	1.85		
31/4"	20955	2.00	20958	1.85		
31/2"	20956	2.00	20958	1.85		

## SANDING AND POLISHING ATTACHMENTS



COMPLETE SANDING ATTACHMENT FOR 1/4" DRIELS Includes orbor, rubber backing pad, and one each coarse, medium and fine sending discs.

4" diameter, No. 22383, price, \$1.45

5" dlameter, No. 22384, price, \$1.70

COMPLETE POLISHING ATTACHMENT FOR W. DRILLS Includes arbor, rubber backing pad, felt cushion pad and draw string polishing bonnet.

4" diameter, No. 22385, price, \$2.50

5" glameter, No. 22386, price, \$3.15

ADAPTOR ONLY FOR 1/2" DRILLS-1/2" diameter arbor with %" x 11 Male Thread and No. 59572 Not. Complete assembly, No. 21919, price \$2.50. No. 59572 Not, price \$0.70.



## POLISHING BONNETS

4".	No	21117		\$1.00
5",	No	21776-	2 - 41 - 44	1,25

## FELT CUSHION PAD

441	No.	21777	

### SANDING DISCS

1/2" ARBOR HOLE

Close	d Grain fo			
	4" Dias	meter	5" Dian	nater
Grade	Number	Price	Number	Price
24 36	20991 20992	50.26	20984 20985	50.27
60	20993	.22	20986	.24
120	20994	,21	20987	.22
190	20995	.21	20988	.22

	Open	Grain	100	Mood	sonding	
24 36	269 209			26 25	20989 20990	.27

## WIRE BRUSHES



For Corbon Cleoning Brushes, see page 36, where listings are also corried on Valva Guide Cleaners. brush and reamer type.

## ROTARY FILES



Ther Rotery Files mounted on Va" shanks are available through your distributor. Ask for special catalog sheet.

### MANDRELS



Your distributor can turnish 1/4" and 1/4" shork mandrels for use with small grinding wheels and polishing wheels, sanding discs, etc.

## HOLE SPOTTER



For drills with 1%" plain spindle hub. Specify drift bushing size required. Catalog No. 71259, price \$11.90.

## MOUNTED ABRASIVES



Thor mounted abrasive wheels and points in various shapes and sizes are available through your distribufor. Ask for special catalog sheet.

## ALL ANGLE ATTACHMENT





For drills with 11/2" x 20 or 11/4" x 20 LH USS threaded hub. Permits drilling any angle through 360°. Catalog No. 75538, price \$53.45.

## TAPPERS WITH MECHANICAL REVERSE



Special purpose machines designed with correct power and speed to produce perfect threads. Heavy-duty ball-bearing construction for long-lasting dependability.








## TAPPING CHUCKS

For Tapper No.	UK5	UKS	UBR
Capacity	0 to 1/4"	# 10 to 5/16"	# 10 to 1/2"
Number	75282	75838	75839
PRICE	\$9.50	\$10.50	\$12.00

Chucks come equipped with necessary wrenches.





- Thor impact mechanism hits harder fewer moving parts, minimum lifting action applies fullest motor power to actual striking operation.
- Full ball seat contact on cam assures longer life.

## Silver Line

## IMPACT

Ther Electric Impact Wrenches take every job in stride. They deliver two hard retary wallaps for every spindle revalution when the going is tough—they run as free as an electric drill in lighter applications. Unique Ther impact principle banishes torque reaction. Motor runs continuously—even when spindle is stopped—cannot stall or burn out when used on oversize bolts.

EW6 EQUIPMENT Includes 1/3" square drive spindle, reversing ring, pistol grip handle with momentary trigger switch and lock, 12 feet of 3-conductor cable with 2-prong plug and grounding connector.

## 3/8" IMPACT WRENCH KITS



#### EW6KC KIT With Carrying Cose (as illustrated)

I EW6 %" Impact Wranch
I EW6 15" Impact Wrench I Steel Carrying Case 4 Heragon Sockets: 15", 15", 15", 15".
Shipping Weight
Shipping Weight
Price EW6KC
No. 22252 \$12.00

#### EWAK KIT

EALOW WILL
I EWA %" Impact Wrench
I No. 76387 Callet Chuck and Wrenches
1 No. 21797 No. 7 M.T. Sacket
I No. 21798 M.T. Reciptor Stoore
4 Heragon Sockets: Tr. Vi. 11". W".
11", 10"
I No. 78147 Metal Accessory Box
1 No. 22805 Drift Pin
Shipping Wi.
Price, EW6K



### 3/8" ACCESSORIES

## 1/2" SOUARE DRIVE HEXAGON SOCKETS



#### COLLET TYPE CHUCK

No. 76387, square drive, capacity 1/2" to 1/6" round shanks and No. 10 to 1/2" square end taps and reamers. Price, \$12.55

No. 22476, 1/2" COLLET for No. 76387 Chuck, capacity 1/2" to 1/4" round shanks and No. 10 to 1/2" square end taps and reamers. Price, \$1.30

#### MORSE TAPERS

No. 2 M.T. SOCKET, ½" square drive, No. 21797, price, \$2.20.
No. 2 External to No. 1 Internal M.T. REDUCER SLEEVE, No. 21798, price, \$0.85.

## SCREWDRIVING CHUCK



No. 73466, ½" square drive Quick Change Chuck for 15th heragon shank screwdriver bits. Price, \$8.40.

SEE PAGE 19 FOR 7/16" SCREWDRIVER BITS AND FINDERS.

	Standard Single B	Standard Length, Single Broached		ength, roached
Mut Size	Number	Price	Number	Price
%"	20374	\$0.75	20388	\$1.25
7/16"	20375	.75	20389	1.25
15/32"	20376	.75	20390	1.25
1/2"	20377	.75	20391	1,25
17/32"	20378	.75		
9/16"	20379	.75	20393	1.25
19/32"	20380	.75	20394	1,25
5/8"	20381	.75	20395	1,25
14/16"	20382	.75	20396	1.25
14"	20383	.75	20397	1.30
13/16"	20384	.85	20398	1.35
7/6"	20385	.90	20399	1.45
15/16"	20386	1.00	20400	1.60
1,0	20387	1.00	20401	1.60











Orive and Remove Screens

Orlit in Steel, Wood and Mosonry

- Impact jaws, widely separated, strike HARDER blows, two for each spindle revolution.
- Jaws rotate to present new striking surface for each blow.
- Large ball bearing and pin bearing construction throughout.
- Strong protecting bridge and cap behind reversing ring.
- Rugged construction, overlapping joints and through bolts be-

tween casings for long-lasting strength.





## WRENCHES

## REVERSIBLE



Same type rugged impact mechanism as famous Thor "Packy" (EW6) Electric Impact Wrench, with extra heavy duty motor, detachable dead handle for added convenience.

EW10 EQUIPMENT includes 55" square drive spindle, reversing ring, pastot grip handle with momentary frigger switch and lock, detachable dead liandle, 12 feet of 3-conductor cable with 2-prong plug and ground connector. ground connector.



## 5/8" IMPACT WRENCH KITS



### EWIOKC KIT With carrying case

(as Illustrated)
I EWID %" Impact Wrench
I Steel Carrying Case
1 Steel Carrying Case 4 Mexagon Sackets: 13", W", 1", 1W"
Shipping Weight
Price, EWIOKC
Steel Carrying Case Only
No. 80852

EWIOK KIT
1 EW10 1/2" Impact Wrench
No. 22473 Collet Type Chuck with extra 1/2" Collet
[ No. 22470 No. 3 M. T. Socket
I No. 22471 M.T. Reducer Sleeve 4 Hexagon Sockets: {*'', ½'', 1'', 1'', 1''
4 Hexagon Sockets: (2", 7%", 1", 1%"
No. 22472 Drift Pin
I No. 22187 Socket Wrench Adaptor,
%" recess to 1/2" drive
1 No. 22189 Sacket Wrench Adaptor,
W' recess to M' drive
No. 22537 Metal Accessory Box
Shipping Weight
Price. EWIOK

## " SQUARE DRIVE HEXAGON SOCKETS

\$180.00

PRICE

	Standard Single Bro		Deep Length, Single Broached				
Nut Size	Number	Price	Number	Price			
3/16"	20211	\$0.90	20230	\$1.60			
5/81	20212	.90	20231	1.60			
21/32"	20213	.90					
11/16"	20214	.95	20233	1,60			
23/32"	20215	.95					
3/10	20216	.95	20235	1.60			
25/32"	20217	.95					
13/16"	20218	.95	20237	1.60			
7/8"	20219	1,05	20238	1.65			
29/32"	20220	1.10					
15/18"	20221	1.10	20240	1.75			
31/32	20222	1.10					
111	20223	1.15	20242	1.75			
11/16"	20224	1.25	20243	1.75			
11/8"	20225	1.35					
13/16"	20226	1.50	20245	1.85			
11/4"	20227	1.65	20246	2.25			
15/16"	20228	1,65	20247	2,25			
13/8"	20229	1.95	20248	2.25			

### 5/8" ACCESSORIES

#### COLLET TYPE CHUCK

No. 22473, %" square drive, capacity 1." to 1/2" round shanks and 12" to 3" square end taps and rearners. Price \$13.20
No. 22476, 1/2" collet for No. 22473 Chuck, capacity 1/2" to 3" round shanks and ±10 to 1/2" square end taps and comment. Price \$3.30

No. 22610, % " collet for No. 22473 Chuck, capacity  $\gamma h$ " to %" round shanks and  $\gamma h$ " to  $\gamma_1$ " square and taps and reamers. Price \$3.30

#### MORSE TAPERS

No. 3 M.T. SOCKET, %" square drive, No. 22470, price \$2.40.

No. 3 External to No. 2 Internal M.T. REDUCER SLEEYE, No. 22471, price, \$1.10.

### SOCKET WRENCH ADAPTORS

%"	Recess	80	7 <sub>1</sub> "	Drive,	No.	22187	\$1.65
1/5"	Recess	to	34"	Drive,	Νo.	22188.,	1.65

#### SCREWDRIVING CHUCK

No. 73490 (For &" Hexagon Shanks) Price, 58.95.



## SCREWDRIVERS



The UL-series Screwdrivers and Nut Setters, averaging 4 lbs. in weight, drive screws up to No. B and set nuts up to 3/16" thread. Designed for use with suspension balancers described on page 18.



**Bonnet Switch** 



Code Number	Typa Clutch			Type Switch	R.P.M.	Price
ULTW	Dbl. Slip	461B	Straight	Lever	1000	\$77.00
ULPW	Dbl. Slip	4618	Straight	Lever	550	77.00
ULNW	Dbl. Slip	461B	Straight	Lever	1500	77.00
ULT	Dbl. 5lip	4618	Straight	Bonnat	1000	71.50
ULP	Dbl. Slip	461B	Straight	Bonnat	550	71,50
ULN	Dbl. Slip	4618	Straight	Bonnet	1500	71.50

25° DOUBLE SLIP CLUTCH ATTACHMENT can be furnished with any of the above sizes, \$16.50 extra. (Attachment No. 402.) When ordering, specify ULP-402, etc.

00,801 00,801	440 800 1200	Bonnet Bonnet Bonnet	Rt. Angle Rt. Angle Rt. Angle	481 481	Dbl. Slip Dbl. Slip Dbl. Slip	ULT-481 ULT-481 ULN-481
3		Bonnet				

EQUIPMENT: Above tools can be equipped either as screwdrivers or null setters with optional selection of either one finder and one 1/4" heragon shank screwdriver bit; or one standard length socket wrench shans, 1/4", 9/32" or 3/4" square drive and one standard tooket, Models below are equipped as nut setter only with 1/4", 9/32" or 3/4" square drive and one standard sociat. All sizes equipped with seven teet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.

ULP-492 ULT-492 ULN-492	Dbl. Slip Dbl. Slip Dbl. \$lip	492 492 492	Rt. Angle Rt. Angle Rt. Angle	Sannet Bonnet Bonnet	440 600 1200	\$100.00 100.00
-------------------------------	--------------------------------------	-------------------	-------------------------------------	----------------------------	--------------------	--------------------

No. 8 Lever Type (ULPW, ULTW, ULNW)

 Weight
 41/4 lbs.

 Shipping
 7 lbs.

 Length
 13 ¾"

No. 3 Bonnet Type (ULP, ULT, ULN) 3¾ Ibs. 7 Ibs. 12¾"



No. 481 Rt. Angle Screwdriver Attachment (ULP-481, ULT-481, ULN-481)



No. 492 Rt. Angle Nut Setter Attachment (ULP-492, ULT-492, ULN-492)





Code Number	Type Clutch	Affach. No.	Artach. Angle	Type Switch	R.P.M.	Wt. Lbs.	Length	Price
ED17	Positive	515	Straight	Pistol	800	3	91/2"	\$61.00
ED16	Positive	515	Straight	Pistol	0011	3	91/2"	61.00
ED18	Positive	515	Straight	Pistol	500	3	91/2"	61.00
ED12	Dbl. Slip	445	Straight	Pistol	800	3	91/2"	75.00
EDII	Dbl. Slip	445	Straight	Pistol	1100	3	91/2"	75.00
ED13	Dbl. Slip	445	Straight	Pistol	500	3	91/2"	75.00
ED47	Dbl. Slip	509	25°	Pisto	800	31/2	111/4"	97.00
ED46	Dbl. Slip	509	25°	Pisto	1100	31/2	111/4"	97.00
ED48	Dbl. Slip	509	25°	Pistol	500	31/2	11½"	97.00
ED41	Dbl. Slip	447	Rt. Angle	Pistol	880	41/8	10 1/2"	120.00
ED42	Dbl. Slip	447	Rt. Angle	Pistol	660	41/8	10 1/8"	120.00
ED51	Kickout	511	Rt. Angle	Pistol	880	33/4	1034"	110.00
ED52	Kickout	511	Rt. Angle	Pistol	660	3 3/4	10%"	110.00

EQUIPMENT—EDS) and EDS2 are not setters only, with  $W_{\rm s}^{\rm T}$ , 9/32" or  $W_{\rm s}^{\rm T}$  square drive and one standard socket. All other tools in ED-series can be equipped either as screendrivers or not setters with aptional selection of either one finder and one  $W_{\rm s}^{\rm T}$  hexagon shank screw-

driver bits; or one standard length socket wrench shank, 1/4", 9/32" or 1/6" square drive, and one standard socket. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.



No. 509—25° Angle Attachment (ED46, ED47, ED48)



No. 447 Rt. Angle Scrowdriver Attachment (ED41 and ED42)



No. 511 Rt. Angle Nut Setter Attachment (EDS1 and EDS2)

## and NUTSETTERS





The F-series Screwdrivers and Nut Setters, averaging 45/8 lbs. in weight, drive screws up to No. 14 and set nuts up to 5/14" thread.



Code Number	Type Clutch	Attach. No.	Attach. Angle	Type Switch	R.P.M.	Price
U22F	Db), Silp	4668	Straight	Pistol	500	\$ 85.00
U22F-P	Pasitive	490	Straight	Pistol	500	72.50
U22F-25	Db), Silp	487	25°	Pistol	500	107.50
U16F	Dbl. Slip	466B	Straight	Pistol	750	85.00
U16F-P	Positive	490	Straight	Pistol	750	72.50
U16F-25	Dbl. Slip	487	25°	Pistol	750	107.50
D18F	Dbl. Slip	466 B	Straight	Pistol	1000	85,00
D18F-P	Positive	470	Straight	Pistol	1000	72.50
D18F-25	Dbl. Slip	487	25°	Pistol	1006	107.50
U1866	Obl. Stip	4668	Straight	Foot	1000	115,00*
U1861	Obl. Stip	4668	Straight	Lever	1000	85.00
U1861-25	Obl. Stip	487	25*	Lever	1000	107,50
019F ••U19F	Dbl. Slip Dbl. Slip Dbl. Slip	489A 489A 489A	Rt. Angle Rt. Angle Rt. Angle	Pistol Pistol Pistol	400 400 800	135.00 135.00 135.00
U19FN	Kickout	169R	Rt. Angle	Pistol	375	125.00
**U19FN	Kickout	169R	Rt. Angle	Pistol	250	125.00
**U19FN	Kickout	169R	Rt. Angle	Pistol	500	125.00

<sup>\*\*</sup>Optional speed-when ordering, specify speed.

EQUIPMENT—UIPFN furnished as not setter only, with ½" or ½" square drive and one standard socket. All other tools in F-series can be equipped either an screwdrivers or not setters with optional selection of either one finder ane one ¼" hexagon shank screwdriver bit; or one standard length socket wrench shank, ¾" or ½" square drive, and one standard longth. All sizes equipped with seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, \$7.50 extra.



No. 437—25° Angle Attachment

(U16F-25, U18F-25, U22F-25, U18Ft-25)



No. 489A Rt. Angle Affechment SCREWDRIVER (U19F)



#### UISFL

(Also supplied with 25° angle attachment.)

\*U18FF suspension type, less laver switch handle, for use with foot switch below providing forward and reverse operation.



No. 169R Rt. Angle Attachment NUTSETTER (U19FN)



\*No. 7615B FOOT SWITCH (For use with UISFF Driver)











#### EJ-Grip Switch Handle


Code	Capacity		Туре	Affach.	Тура	Speed	Weight	Shipping Weight	Length	Prico
Number	Screw	Nut	Clutch	No.	Handle	R.P.M.	Lbs.	weldu	Cemann	Liira
EJ18	No. IB	35 **	Pasitive	448	Side	500	81/4	91/4	12 72"	\$ 90.00
EJ23	No. 18	36"	Kickout	447	Grip	500	8	9:	151/2"	110.00
EJ12	No. 18	- Jan 11	Positive	449	Grip	750	7.74	8-34	131/4"	85.00
EJ27	No. 18	ALIH.	Kickout	449	Grip	750	g	9	15 1/2**	108.00
EJ27	No. 18	5.H	Klakout	449	Side	750	8 %	9 %	14 %"	108.00

ALL SIZES EQUIPPED with one standard  $\gamma_{\Gamma}^{**}$  hexagon socket whench shank with  $1/2^{**}$  square drive and one standard socket or one  $\gamma_{\Gamma}^{**}$  hexagon shank screendriver bit and finder assembly. (Both positive and kickout attachments use standard  $\gamma_{\Gamma}^{**}$  socket whench shanks and bits); EUIS and EU2? equipped with side handle with momentary trigger switch and locking pin, spade

handle and dead handle; EJ23, EJ12 and EJ22 equipped with grip handle with momentary trigger switch and locking pin; seven feet of 3-conductor cable with 2-prong plug and ground connector. Reversing switch in cable, all sizes, \$10.00 extra.



## SCREWDRIVERS and NUT SETTERS





Code Number	EL23	EL28	EL24	EL29
Capacity:				
Screw	No. 24*	No. 24*	No. 24*	No. 24*
Nut (thread size)	1/2"	1/2"	1/2"	1/2"
Weight, Lbs	15	1434	15	1434
Shipping Weight, Lbs	63	17%	8 1	1734
Length	151/4"	1434"	151/4"	1434"
Type Attachment	Kickout	Positive	Kickout	Positiva
Attachment	455	454	455	454
Speed R.P.M	525	525	350	350
PRICE	\$160.00	\$143.00	\$160.00	\$143.00
Weight, Lbs	15 18 151/4" Kickout 455 525	14% 17% 14%" Positive 454 525	15 18 151/4" Kickout 455 350	1434 1734 1434" Positive 454 350

"And up to %" Lag Screws.

"And up to 19 Lag screws.

ALL SIZES EQUIPPED with one No. 20519 7;" hexegon socket wreach shank with 1/2" square drive,
or one standard due 1;" hexagon shank scrowdriver bit and finder assembly, as specified. (Both
positive and kickout affachments use standard

Ti" socket wreach shanks and bits); side handle with mamentary frigger switch and locking pin, speak handle, deed handle, seven feet of 3-conductor cable with 2-prong plug and ground connector, Reversing switch, all sizes, \$10.30 extra.

## BALANCERS FOR TOOL SUSPENSION

Thor Safety Balancers offer the safest and most convenient method of suspending screwdrivers and other tools over the work within easy reach for frequent or rapid use, particularly on assembly line operations. A slight pull brings the tool down ... upon release it rises out of the way. Thor Balancers are available in the sizes listed below. Larger capacities, prices on applica-

SIZE	0X	108	100X	208	30B
Capacity, fbs. Maximum Minimum	10 \-	10	20 10	20 10	30 20
Range of Travel	ī	5.	5	6	£
Distance Hook to Hook Standard*, Minimum**	19"" 13"	35''	3514	54" 171/7"	54" 171/2"
Weight, Ibs	131/5	16%	16%	44	44
PRICE	\$30.00	\$65,00	\$70.00	\$70,00	\$73.00

"As shipped with standard langth coble. ""Disainable by shortening cable.

## SCREWDRIVER AND NUT SETTER

## CLUTCH ATTACHMENTS



#### POSITIVE CLUTCH ATTACHMENT

A positive clutch attachment is equipped with two clutch jaws that are manually engaged by pressure applied by the operator. When pressure is released the clutch disengages, stopping the when pressure is released the clutch disengages, stopping the rotary motion of the bit. At the instant of tightening screw or nut the operator and the tool absorb the slight impact. Positive clutch attachments have a limited range of work because the jaw faces have a set angle. The jaws are disengaged when pressure is released. Thus, the tightening of the screw or nut depends antirely upon the judgment of the operator.



### DOUBLE SLIP CLUTCH ATTACHMENT

The double slip clutch attachment has two separate clutches, one a positive, manually-engaged type which in turn drives an adjustable, spring tension slip clutch. This attachment with its adjustable feature can be set to drive any size screw in the capacity range of the attachment to a predetermined, uniform tightness, Once set, it eliminates all guess-work and guarantees tension of every nut or screw driven with 100% uniformity . . . automatically "slipping" when the desired tension is reached. In addition, this type of clutch cushions the impact, relieving the operator of fatiguing jolts and reducing spoilage by eliminating breaking of the set of the s studs and stripping of threads. It also adds considerably to the life of the machine and clutch jaws by absorbing stress and shock loads.



### KICK-OUT CLUTCH ATTACHMENT

This attachment is similar in action to the double slip clutch. It operates on virtually the same principle, except that the clutch does not "slip" when the desired tension is reached, but automatically "kicks out," and a set of cams holds the spring tension clutch open for a full revolution of disengagement. This type is used on larger capacity machines and, like the slip clutch, it drives each screw or nut to exactly the same predetermined tension, is adjustable for driving to different tensions, and absorbs the shocks. The cam prolongs the life of the clutch jaws and lowers maintenance cost of the tool.

## ACCESSORIES



Standard 1/4" Haz. Shank Bit





Shank Bit



7/16" Hes. Shank bit and Finder Assembly



For use with all Thor Current No.

Hems below are uniformly priced as per figures at left

Herrs below are individually priced as per figures following each cutalog number

SHANK 14 S.D. and N.S.	PRICE EACH	2F, 2R	3F, 3R	4F, 4R	5F, 5R, 6R	6f. 7R	7F, BR	8F. 10B	PRICE EACH	107, 12R	PRICE £ACH	12F, 14B	PRICE EACH	14f., 16R	PRICE EACH
													\$0.85**	75356	\$0.85**
Standard Length Finder	2.00	25054	25054	25054	25054	25054	25054	25054	2.00	25054	2.00	25054	2.00	25054	2.00
17/8" Extension Bit	.90	77414	77415	77416	77417	77417		77418	0.90	77419	0.90	77420	0.90		
Non-Rotating Extension Finder for 1 1/8" Extension Bit	3.30	75122	75123	75124	75125	75125		75127	3.30	75128	3.30	75129	3.30		
4" Extension Bit					75096			75104	1.00	75108	1.00	75112	1.00		
4" Ext. Bit and Finder Assembly	1,75			75087	75097	75101		75105	1.75	75109	1,75	75113	1.75		
S" Extension Bit	1.10			75098	75098	75102		75106	1.10	75110	1.10	75114	1,10		
" Ext. Bit and Finder Assembly	1,85			75095	75099	75103		75107	1.85	75111	1.85	75115	1.85		
211/16" Extension Bit	0.85			75240	75241	75242		75243	0.80	75244	1.00	75245	1.05		
21/16" Ext. Bit and Finder Assembly for use with Ext. Shank below				75246	75247	75248		75249	1.60	75250	1.75	75251	1.80		
*QUANTITY PRICES—Std. Length 1/4" Bit: Lot of 50 to 99, \$0.48; 100 to 499,				1/4**	PHILL	IPS BI	TS	_			15	REED	AND	PRINCI	BITS

\*QUANTITY PRICES—Std. Length 'A'' Bit: Lot of 50 to 79, \$0.48; 100 to 499, \$0.43; over 500 (except No. 73198), \$0.34. Box of 5 (all sizes), \$2.70. \*\*QUANTITY PRICES—Std. Length 14" Bit: Lot of 50 to 97, \$0.75; over 100, \$0.69. Box of 5, \$4.00.

	1/4" PHILLIPS BITS		14" REED AND
	No. I or No. 7	No 3	All Size
Standard Length	70771 <b>50.57</b> †	75075 50.75	22090
I%" Extension	75277	75278 1.10	Preid territe ture territe

1100 to 499, \$0.47; over 500, \$0.32,

SHANK

For use with all No. 15 and larger screwdr vers

	, \$9.47; o		\$0.32, rmly price:	d as pe	it sidneds	at left			19	ms beloe dad as pe th caralog	r figures	disidually following
PRICE EACH	áf, áŔ, ŝR	8F, 9F, _9R	10F, 10R, 12R	12F, 12B	14F, 18R	14F. 188	18F, 20P	PRICE EACH	20F	PRICE EACH	246	PRICE EACH

\$0.97\* 72944 72945 72946 72947 72960 72961 72962 **50.97**\* 72963 **\$1.20**\* Standard Bits ... 1.55\*\* 72951 72952 72953 72954 72964 72965 72966 Standard Bit and Finder Assembly ....

72907 \$1.45\* 2.80\*\* 1.95\*\* 72967 2.40\*\* 72956

7/16" REED AND PRINCE BITS

All Sizes

No. 75281

\*QUANTITY PRICES—Std. Length .5"

Bit: Lot of 50 to 99 (except 7298), 72907), 50.63; 100 to 499 (except 7298), 72907), \$0.63; 100 to 499 (except 7298), 72963, 72977), \$0.57; over 500 (except 72963, 72907), \$0.46. Box of 5 (except 72963, 72907), \$0.46. No. 72963, over 50, \$1.10; Box of 5, \$5.75. No. 72907, Box of 5, \$7.00.

"OUANTITY PRICES—Std. Length 7;"
Bit and Finder Assembly (except 72%6, 72967, 72966): Lot of 50 to 99, 31.45; over 100, \$1.25; Box of 5, \$7.50. No. 72966, over 50, \$1.80; Box of 5, \$9.25. No. 72967, Box of 5, \$11.75. No. 72956, Box of 5, \$13.75.

### 7/16" PHILLIPS BITS

Cat.	No.	57551	#2	Point	\$0.86
Cat.	No.	57552	#3	Point	0.86‡
Cat.	No.	57553	$\frac{10}{12}$ 4	Point	0.86#

‡ Quantity price, 100 to 499, each \$0.51, Over 500, each \$0.48.

## EXTENSION SHANKS



LENGTH—All figures Indicating length of bits or extensions do not refer to overall length, but to projection beyond attachment or chuck.

\$0.75

with Chuck Assembly for holding socket wrench shanks or bits

Type Shank	Extension Length	Cat. No.	Price 1	Type Shank	Extension Length	Cat. No.	Price
1/4" Hex.	4"	75252	\$2.00	7/16" Hex.	4''	75254	\$1.80
1/4" Hex.	₽,,	75253	2.00	7/16" Her.	٤''	75255	2.00



## PIX-UP FINDERS AND ADJUSTO-TRAY

A combination that speeds assembly operations three to nine times. Adjusto-Tray holds screws "heads up"—PIX-UP FINDER is then placed over the screw-head, and as the tray depresses slightly, the finder grips the screw head firmly and in perfect alignment, ready for the driving operation.

#### ADJUSTO TRAYS

Cat. No.	For Screw No.	Price
69408	3 and 4	\$6.00
69409	5 and 6	6.00
69410	8 and 10	6.00
71103	12 and 14	7.20

## PIX-UP FINDERS AND BITS

For Use with Adjusto-Tray

Screw Size	Pix-Up Bits	Price	Ply-Up Assembly	
3R	77415	.90	69414	\$5.40
3F	77415	.90	69418	5.40
4R	77416	.90	69422	5.40
4F	77416	.90	69426	5.40
6R	77417	.90	69430	5.40
6F	77417	.90	70040	5.40
8 R	77418	.90	69435	5.40
8F	77418	.90	70044	5,40
IOR	77419	.90	69440	5.40
10F	77419	.90	73042	5.40
12R	77420	.90	69445	5.40
14R	BD865	.90	69450	5.40

Any Pix-Up Finder for screws not listed, price on application.

WHEN ORDERING SCREWDRIVER BITS AND OTHER ACCESSORIES, SPECIFY EXACT SIZE AND TYPE OF SCREW OR SEND A SAMPLE SCREW.

\$0.50

## SOCKET WRENCHES





DISTAN	CE ACROSS FLATS	3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"	17/32"	9/16"	19/32"	5/8"	21/32"	11/16
-				ST	TAND	ARD	1/4"	SQU	ARE	DRIVE						
IEX.	Standard Length Single Broached	20543 \$0.40	20544 \$0.40	20545* \$0.40	20547 \$0.40	20548 \$0.40	20549 \$0.40	20550 \$0.40	20551 \$0.40	20552 \$0.45						
IEX.	Deep Length Single Breached	20561 \$0.80	20562 \$0.80	20563 50.80	20564 \$0.80	20565 \$0.80	20566 \$0.80	20567 \$0.80	20568 50.80							
IEX.	Thin Wall Single Broached	20553 \$0,40	20554 \$0,40	20555 50.40	20556 \$0.40	20557 \$0.40	20558 \$0,40	20559 50.40	20560 \$0.40							
Q.	Standard Length Double Brooched	20569 50.40		20570 \$0.45	20571 t 50.45	20572 \$0.45		20573 \$0.45								
_	nside Hex. Taper, No.	20546, 5	0.50	† Single	Broachee	4									_	
				MA	GNE				UARE		/E					
IEX.	Standard Length Single Broached	21087 \$1.40	21DB8 \$1.40	21089 \$1.40	21090 \$1.40	21091 51,40	21092 51.40	20193 \$1.45	21094 \$1.45	21095 51,45						
					9	/32"	SQU.		DRIVE							
EX.	Parker Kalon Single Broached			20584 \$0.40	20585 \$0,40			20588	20589	20590 50.45						_
					1	3/8"	SQUA	RE D	RIVE				*****	20101	-	2060
IEX.	Standard Length Single Broached					20593 50,45	20594 \$0.45	20595 50.45	20596 \$0.45	20597 \$0.45	20598	20599	\$0.50	20401 50.55		\$0.6
EX.	Parker Kolon Single Broached							20604‡ 50.75	20405 30.50	20606 \$0.50						
EX,	Standard Length Double Broached							20407 \$0.45	20608 \$0.45	20609 \$0.45		20611 50.45		20612 \$0.55		50.6
EX.	Thin Wall Double Broached							20415 \$0.55	20616 \$0.55	20617 \$0,55		20618 \$0.55		20619 50.60		2062 50.6
EX.	Deep Sockets Single Broached						20622 \$0.60	20623 \$0.65	20624 \$0.65	20625 90.65		20626 \$0.65		20627 \$0.70		2062 \$0.8
EX.	Deep Sockets Double Broached								20638 \$0.65	20639 \$0.65		20640 \$0.65		20641 \$3.70		
EX.	Thin Wall Deep							20630 50.60	20431 \$0,45	20632 50.65		20633 50.75		20435 50.80		2063 50.8
EX.	Single Broached Thin Wall Deep											20643 30.75		20544 50.80		2064 50.8
Q.	Stan Jard Length			20651	20652	20653		20654 \$0.55	20655 50.55	20656 \$0,55	-		130			
	Double Broached This Wall Deep			\$0.50	\$0.55	50.55		20657	20658	2D659 \$0.80						
Q.	Dauble Broached Hex. Taper			-				\$0.75	\$0.75	30,60						
						1/2"	SQU/	RE I	RIVE							-
EX.	Standard Length Single Broached							20440 \$0.55	20661 \$0.55	20662 \$0.55		20663 \$0.55	20864 \$0.60	20665 \$0.60	20666 50.70	20665 50.60
EX.	Parker Kalon Single Broached				-			20680 \$0.75	20681 \$0.75	20482 50.85		20683 \$0.90				
EX.	Thin Wall Deep Single Broached								20684 \$0,65	20685 50.65		20694 \$0.65	20667 \$0.65	20888 \$0.85	20639 50.65	20691 \$0.7
IEX.	Standard Length Double Broached							20699 50,55	20700 50.55	20701 \$0,55		20702 \$0.55	20703 50.60	20704 50.60		2070! 50.6
IEX.	Thin Wall Double Broached								20714 50.65	20715 \$0,65		20716	20717 \$0.65	2071B \$0.65	20719 50.65	20724
IEX.	Deep Length		***					20733 \$1.25	20734 51.25	20735 51.25		20736 \$1.25		20737 \$1.25		20738
IEX.	Single Broached Thin Wall Deep							\$1.23	#10 Per	20745 \$1.20		20746 \$1.20		20747 \$1.20		2074
_	Standard Length			-, 2				20756	20757	20758	-	20759		20760		20761
SQ.	Double Broached		4	)" c	OHAI	DE D	RIVE	50.73	SO.70	\$0.70	CKET			20,000		-
JEV	Standard Length		1/	2 3	QUAI	VE DI	MITE	OKIT	20870	20871 \$2.50	- 1 C   1	20872 \$2.50		20873 \$2,60		20074
HEX.	Single Breached Thin Well						-		\$2.50 20881	20882		20863		20884 \$2,20	-	20885
IEX.	Double Brooched	,	2	000 6	OHAI	DE DI	DIVE	HADVI	52.15	\$2.15	CKET	52.15		, E , E U	~	A di land
UEV	Standard Length		3/	8 3	ΨυΑΙ	KE DI	RIVE	20858	20859	20860	J KE I	20861		20862 52,75		
HEX.	Single Broached Thin Wall							\$1.95 20863	\$1.95 28864	\$1,95 20865		52,15 20866		20867		20868
HEX.	Double Brouched							\$2.05	\$2.05	\$2.05		\$2,15		52.15		52.35

## AND ACCESSORIES

Single Broached Square





Double Breached Square

## ADDITIONAL SOCKETS

Sockets listed on these pages are the full range available up to 1/2" square drive for all Thor nut setters listed in this catalog. Thor also makes available power type sockets up to 1" square drive and impact sockets for Thor 3/8" and 5/8" impact wrenches.

### SOCKET ADAPTORS

Socket adoption provide a ready means of changing the square drive of your machine to a larger or smaller drive as desired.

Female End	Male End	IMPACT Number	TYPE Price	POWER Number	TYPE Price	Female End	Male End	IMPACT Number	TYPE Price	PÓWE Number	R TYPE Price
36 14 66 11 76 11 76 11	9/32"	22194 22184	\$0.85 1.35	20907 20908 20909 20910	50,45 .45 .65 .70	1/2" (/2" 5/2" 5/4"	1/2 11 1/4 11	72185 72186 72187 72188	\$1.45 1.55 1.70 1.70	29911 20912	\$1.05 1.20
3/4"	25/32"	13/16" 7/8	" 29/3;	" 15/16"	31/32"	1"	11/32" 1	1/16" 13/32	" 11/8"	13/16"	11/4"
<del>-</del>			3/8"	SQUA	RE DR	IVE (	Contin	uedl			
20603 \$0.65						-					

		m		
20603 \$0.65				
20614 50.65				
20621 50.60				
20629 \$9.90				
20642 \$0.85				
20637 \$0,90				
20646 50.90	20647 20648 \$1.00 \$1.10	20649 \$1.15	20650 \$1,20	

-			1/	2" 5	PUAR	E DR	IVE /Co	ntinuedl			
20663 \$0.60	20689 \$0,70	20670 \$0.70	20671 S0.75	20672 50.85	20673 \$0.90	20674 \$0.90	20675 \$1.00	20676 51.10	20678 \$1.10	20679 \$1.25	
20691 \$0,75	20692 50.75	20693 50.75	20694 S0.75	20695 50,90	20696 \$0.95		20697 \$1.00	20698 \$1,10			
20706 50.60	20707 \$0.70	20708 \$0.70	20709 \$0.75		20710		20711 51.00	20712 \$1.10	20713 \$1.10		
20721	20722 50.75	20723 50.75	20724 \$0.75	20725 50.70	20726 50.95	20727 \$1.00	20728 51,00	20729 \$1.10	20730 \$1.15	20731 \$1.20	20732 \$1.30
20739 \$1.30		20740 \$1.35	20741 \$1.45		20742 51.60		20743 \$1.60		20744 \$1.80		
20749 \$1.20		20750 51.30	20751 51.35		20752 51.45		20753 \$1.50	20754 \$1.60	20755 \$1.65		
20762		20763	20764		20765 51.30		20766 \$1.40				

-	1/2	" SQ	UARE	DRIVE	UNI	VERSAL	SOCKETS
2087 <i>s</i> 53,45	20876 53.75	20877 \$3.75	20878 53.95		879 .25	20880 \$5,45	
20004							



## 3/8" SQUARE DRIVE UNIVERSAL SOCKETS (Continued)

20069



## SOCKET WRENCH SHANKS



## 1/4" HEXAGON SHANK

Şquare Drive	Length	Number	Price
1/4"	21/611	73973*	\$1.60
9/37"	21/6"	73924*	1.60
36.1	21/0"	73925*	1,60

\*With it" Dlam. Gulde Shoulder

## 7/16" HEXAGON SHANK

35"	175	20513	\$1.05
36"	284**	20514	1.00
34.0	5"	20515	1.10
3614	811	20916	1.25
36	1211	20517	1.45
3/6**	18"	265.18	2.05
V211	13211	20519	1,65
V211	2%	20520	1.20
3/2"	5''	20521	1.40
1/2"	811	20522	1.60
1/2"	1211	20523	1.75
1/2	1811	20524	2,35
V211	20**	20575	3,50
1/2"	22"	20526	3.50

## SOCKET **EXTENSIONS**

## 1/4" SQUARE DRIVE

Length	Number	Price
ŽH	20889	50.65
4.4	20890	,85
6""	20891	1.00

## 3/8" SQUARE DRIVE

3"	20635	\$1.10
6	20893	1.35
12**	20894	1.65

## 1/2" SQUARE DRIVE

211	20895	\$0.95
511	20896	1.30
10	20097	1.65
20"	20098	1.95



Square Drive	Length	Number	Price
3644	1 36"	20007	\$2,50
V <sub>2</sub> 11	2-25/64"	20888	2.65



## SPECIFICATIONS

Gode	T67	17	TB	TIO	113
Blade Size	61/4"	71/4"	81/4"	10"	12"
Max. Depth of Cut	21/22"	21/2"	215/16"	3 5/8"	47/16"
45° Depth of Cut	61/4" 21/32" 13/8"	1 1/2"	25/32	3 5/8 2 5/8	361/2
Weight, Lbs	131/2	171/4	18	35	361/2
Shipping Wt., Lbs	18*	34	37	60	62
Speed R.P.M.	5000	4200	4200	2750	2750
Price	\$65.00*	\$125,00	\$145.00	\$190.00	\$225.00

\*Furnished standard without carrying case. (Price with steel carrying case [Code TáC], \$69,95, Shipping weight, 30 lbs.)

All Silver Line Saws are equipped with one combination blade, ID-feet of 3-conductor cable with 2-prong plug and ground connector, blade not wrench, lubricant and steel carrying case. (16 is furnished standard without carrying case, see note above.)

ø

LONG SHAFT MO-TOR MOUNTINGfull ball bearing support where it's needed most.

DIRECT GEAR DRIVE - no powerwasting worm gears!

> SAFETY LOCK SWITCH-Saw cannot be started accidentally.

PROTECTED DEPTH AND BEVEL SCALES-always accurate.

FINGER TIP ADJUSTMENT - set depth, bevel or rip guides instantly. They lock securely.

CONVENIENT HANDLES. Natural saw-grip behind the center of gravity.

ACCESSIBLE BRUSH HOLDERS, easy to inspect and service.

AMPLE VENTILATION above and below commutator housing.

WIDE SAFETY BASE-the only basis for REAL balance in a portable saw.

UNIQUE RIP GUIDE can be firmly set for any width of material.

SAW DUST BLOWER integral with ventilating system. Cutting line always

REINFORCED ALUMINUM HOUS-INGS, Safe from accidental damage.

POWERFUL MOTOR designed to stand up under full-load cutting day in and day out.

AUTOMATIC TELESCOPING BLADE GUARD for complete protection.

EASY BLADE CHANGE-five second operation; just remove hex, cap screw.

POSITIVE 90° STOP-when released. saw automatically squares itself at 90° after bevel cutting-no guesswork.

OVERSIZE SWITCHES-fully insulated positive protection against electrical failure.





Depth of Cut, 2 1/32"
Price, \$65.00\*
\*Without carrying case,
[Price with steel carrying
case, \$69.95.]

## Silver Line 11913



Depth of Cut, 21/2" Price, \$125.00

## Silver Line "8"



Depth of Cut, 2 15/16" Price, \$145.00

## Silver Line "10"



Price, \$190.00

## Silver Line "12"



Depth of Cut. 47/16" Price, \$225.00

# SAW BLADES and ABRASIVE DISCS





		6"	7"	8"	10"	12"
COMBINATION BLADE For ripping	and cross-cutting	61/4" 73863 <b>52.</b> 25	71/4" 73875 \$2.50	81/4" 73881 \$2.65	10" 73894 \$3.65	12" 73699 54,85
CUT-DFF BLADE For a	ross cut work	61/4" 73065 \$2,25	71/4" 73876 \$2,50	8½" 73883 \$2.65	10" 73895 \$3.65	12" 73900 <b>\$4.85</b>
MITRE BLADE Hellow grou	nd, smooth cutting	61/4" 73867 \$3,25	71/4" 73877 \$4.50	8" 73885 <b>\$4.45</b>	10" 73896 <b>\$7.9</b> 5	
METAL CUTTING BLADE For non	i-farrous metal	5 % " 73874 \$6.05		8" 73868 \$6.55		
RIP BLADE For r	ough ripping				10" 73899 \$3.65	12' 73901 \$4.85
ICE SCORING BLADE Spe	clal design	61/4" 75344 <b>52.25</b>	71/4" 75345 <b>52,50</b>	81/4" 75346 <b>52.6</b> 5		
FLOORING BLADE Cuts	Cuts through nails		71/4" 73878 \$2.50	6" 73886 \$2.65	10" 73897 <b>\$3.65</b>	
FINE TOOTH BLADE For so	- Contract of the Contract of		7" 73879 \$2.50	8" 73887 \$2.65		
FRICTION  BLADE For light of	Jauge Iron sheets	61/4" 73871 \$4.85		8" 73884 \$6.05		
	r abrativa	22315 516.45	7" 22313 \$17,50	8" 22314 \$19,50	site and of	poard, fran- her asbestos irds, and all cod.
DIAMOND EDGE	STANDARD DUTY	6"x.032" 22485 \$9.50	7"±.040" 22488 \$12.20	8"x.040" 22491 513.60	10"x.040" 22494 \$17.80	12"x,050" 22497 <b>526.10</b>
BLADE  For last cutting of tile, glass, brick, concrete, etc. Unbreakable, For use only with Thor	HEAVY	6"x,040" 22486* \$10.80	7"x.050" 22489* 516,40	8"x.050" 22492* \$17,80	10"x.050" 22495 <b>521,10</b>	12"k.064" 22498 \$30.00
water feed attachment. *Blades recommended for gen- eral use.	EXTRA HEAVY DUTY	6"x.050" 22487 \$13.60	7"x.064" 22490 \$20.30	8"x.064" 22493 \$21.10	10"x.064" 22496* \$26,10	12"x.075" 22499* \$42,40

## ABRASIVE DISCS

Application:		Alley	Concreto	[ Marble	Cost	Tile	Asbestas Cement	Granite Orchard	Grab Orchard
Disc Size	Price	Steels	- Uncease	14-401 10 14	Iron		Shoots	S-7 M-1117-7	Stone
61/4"x1/8"	\$1,55	73938	73939 73944	73940 73945	73941	73942	73943		
61/4"x3/16" 71/8"x1/8" 71/8"x3/16"	1.90	73946	73947 73952	73948	73949	73950	73951		and Grab Stone can
8x1/4	2.20	73953	73954 73959	73955	73956	73957	73958	cessive so	oring, Use Mina disco
915/16"x1/8" 1115/14"x1/8"	3.10	73966 73972	73967 73973	73968 73974	73969 73975	73970 73976	73971 73977		-

QUANTITY PRICES-Applying on single order for one type or an assortment: Up to 11-List Price; 52 to 24-10%; 25 to 99-20%; 100 and over-10%.

## WATER FEED ATTACHMENT

For use with Thor Diamond Edge Blades, also may be used with Thor Abrasive Discs. Fasters easily to swivel base of saw. Equipped with perforated fork tube that shoots water against both sides of blade, and 12 feet of hose with standard coupling for water faucet or water extension hose.

No. 79534	(Fits	T6,	Ť7,	T0)5	9.50
					9.50

## SAW LUBRICANTS



1	Number		Qua	ntity	Price
ì	70065	2	OL	tube	\$0.40
1	73798	8.	oz.	tube	.60
	21382	2	16.	Con	1,20
1				can	



U-100 ELECTRIC

HAMMER

Sling Shot Drive

Shock-proof rubber yake drives the piston in powerful hammer action. It whips the piston with sling-shot action . . . acting as a power accumulator to increase the speed of the piston on the forward stroke . . . then as a shock absorber on the recoil. There's no metal connection between the piston and the gear train and motor. And thus no shock to gear, motor, or operator. Here's enormous power, easy to handle!




th STONE - The Thirtheo anima selling characteristics and fulling characteristics, in stone, concrete, asphalt, brick and composition materials, and for cleaning out morter, web cutting, removing form materials and similar with



IN WOOD-Cutting, googing, and stopping in wood can be done officially with the U-100 and proper Thormhold History



IN METAL—Company, scaling, removing but paint, weld spatter, and shrifter accomplations, me jobs where the U-100 sever



\$13000

Code No.	U-100
Capacity in concrete	11/8" Star Dril
Blows per minute	1800
Weight	14 lbs.
Shipping Weight	
Length Overall	131/2"
Shank Offset	. 15/16"







No. 68104 Turning Wrench for straight shank tools .... \$0.90




No. 69359 Dust Shield



No. 60085 "Sling-Shot" Yake \$0.75

## U-100 HAMMER ACCESSORIES



Catalog Number and Price Overall Overall								
Point Dlameter	Length 4"	Price Each	Cyerall Leagth 6"	Price Each	Overall Length F2	Price Each		
14"	22806	\$8.85						
1/2	22807	9.35	20000					
1000	22808	9,55	22809 22810	\$ 9.80 10.20				
1/211			22811	10.20	72812	\$12,95		
60			22813	11.85	22814	13.95		
56 H			22815	17.95	22916	15.70		
15."			72817	13.85	22818	16.50		
36.0			22819	14.85	22820	17.45		
1211			22821	15.85	22822	18.55		
9811 9611			72823	16.70	72824	21.30		
Ŀ			22825	19.25	72826	24,75		
18% (1			22827	23.65	22928	30.25		


Description	STANDARD Length	CHISELS Number	Price
Chisol—Str. Shank	5"	71263	\$1.55
	12"	71264 71265	2.00 2.20
Chisel Hex. Shank	5" 9"	71266 71267	1.65
	F2"	71268	2.20
Bull Point Straight Shank	5" 9" 12"	71269 71270 71271	1.70 2.00 2.20

## SPECIAL CHISELS

#### STRAIGHT SHANK TOOLS

Description	Number	Price
Mortar Chisel	68103	\$2,95
Bush Hammer (Head 11/2" Sq.)	. 68106	6.10
Scaling Chisel (2" Blade)	58411	3.20
Scaling Chisel [11/2" Blade)		3.05
HEXAGON SHANK TO	OLS	

HEXAGON SHANK TOOLS		
		.25
Flat Wood Chisel (21/8" Blade)	409 4	.25
		1.25





Silver Line

Will do any work within its rated capacity that can be done with a portable power shear and in addition will cut regular and irregular shapes, follow line or contour accurately, cut plain or corrugated stock and cut tubes as small as  $1\frac{1}{2}$ " in diameter.

### **SPECIFICATIONS**

Code Number Capacity:......... No. 20 Gauge in Mild Sheet Steel No. 16 Gauge in Soft Sheet Aluminum Minimum Cutting Radius. Length Overall .... Diameter of Body .. Weight ..... Shipping Weight

EQUIPMENT includes I axtra cutting punch; adjusting wrench, wrench for clamp screw; seven feet of 3-conductor rubber cable and 2-prong plug with ground connector.



Silver Line
BELT SANDER

 EXCLUSIVE direct gear drive minimizes friction losses, delivers as much as 20% extra power to the belt.

Without Vacuum Dust Collector.... \$15000

With Vacuum Dust Collector...

26



Superior Ventilating System

Quick-acting Belt Release

Accurate Belt-centering Device

ASK FOR CIRCULAR JE-1131

## 41/2" BELT SANDER

 Code
 T45

 Belt Size
 41/2" wide x 26" long

 Belt Speed
 1800 ft. per min.

 Size
 63/4" x 141/2" x 91/4" high

 Weight
 20 lbs., 12 oz.

 Shipping Weight
 26 lbs.

 PRICE
 \$150.00

## 41/2" BELT SANDER

EQUIPPED with grip handle with mamentary trigger switch; one medium grade balt; 10 feet of 3-conductor cable with 2-prong plug and ground connector. CODE 745Y equipped with vacuum dust collector complete.

## BELTS FOR THOR 41/2" BELT SANDERS

	FOR WOO	D		FOR MET	AL		FOR STON	E
Grade	Cat. No.	Price	Grade	Çat, No.	Price	Grade	Cat. No.	Price
3 21/2 2 11/7 1 1/2 1/0 2/0 3/0	21192 21193 21194 21195 21196 21197 21198 21199 21200	\$0.63 .60 .58 .56 .54 .53 .51 .50	24 30 36 40 50 60 80 100 120 150 180 240 320	21201 21202 21203 21204 21204 21206 21207 21208 21209 21210 21211 21212 21213	\$0.67 .64 .60 .58 .57 .55 .54 .54 .54	24 30 36 40 50 60 80 100 120 150 180 220 320	21214 21215 21216 21217 21218 21219 21220 21221 21222 21223 21224 21225 21226	\$0.67 .65 .64 .60 .55 .54 .54 .54
		4	FOR	REMOVING	VARNISH	1		
3	21227 21228	\$0.67	2	21229 21230	\$0.64	1/2	21231	\$0.58 .57

### FABRIC BELT FOR POLISHING

Grade	Cat. No.	Price
1926	21233	\$5.94

## SPECIAL RECOMMENDATIONS

MARBLE — Use type "C", Grade No. 40 for leveling off rough surfaces, shaping, fitting: No. 60 for removing scratches left by No. 40; Nos. 150, 220 and 320 for honing.

CAST STONE—Use type "C", Nos. 24 and 40 for grinding and leveling off surfaces; No. 60 for smoothing; No. 150 for honing.

NATURAL STONE—(including Indiana limestone). Use type "C". Nos. 24 and 40 for grinding, cutting bevels, leveling off surfaces; No. 60 for removing scratches, smoothing down.

SLATE—Use type "C", Nos. 24, 60 ar 150 to desired finish.

## Tilver Line

# DISC SANDERS





- 50% More Power delivered to the disc — at the right speed — for cleaner, faster work.
- er" tool rest to protect motor and housings.
- Spindle Lock for easy disc change.



HEAVY

\$**82**00

\*Can be aquipped with 6" Cup Wheel, Specify EN72, price \$95.00 (see page 29).



## THOR DISC TRIMMER



Cuts larger discs (up to 9") down to smaller sizes (to 4" minimum). Salvages used discs for service with smaller pads. Cat. No. 74368.

Price \$13.65

All bell bearing construction with special features designed to give long, dependable service—spiral tooth geers; switch lock for continuous or intermittent operation.

eperatron.

EQUIPPED with %" threaded spindle with tock; momentary trigger switch and lock; removable side handle for use on either side; rubber tool guard; flexible rubber pad, box of three assorted sanding discs; seven feet of 3-conductor cable with 2-prong plug and ground connector. Optional: Suspension hook in place of rubber guard on EN82 and EN87, it specified.

11 shandstaded	Tr.	7*1	911
	Standard Duty	Haavy Dizty	Daty
Code No.	EL82 4500	EN82 4500	EN87 4500
Weight	8 1/2 lbs.	14 1/4 lbs.	141/4 lbs. 21 lbs.
Shipping Wt.	13 lbs.	21 lbs.	17"
PRICE	\$73.00	\$82.00	\$85.00

### SANDING DISCS

1/8" Hole Standard. Also available with 1/2" hole or 1/8" hole at no extra charge.

## Closed Grain for Metal or Wood Sanding

	7" Diameter 9" Diameter		meter		7" Diam	9" Diameter			
Grade	Number	Price	Number	Price	Grade	Number	Price	Number	Price
*14 24 30 36 50 60	72775 72776 72777 72778 72779 72780	\$0.46 .36 .36 .34 .33	72797 72798 72799 72800 72801 72802	\$0.62 .48 .48 .43 .44	120 150 180	72781 72782 72783 72784 72785	\$0.30 .30 .30 .30	72803 72804 72805 72806 72807	\$0.40 ,40 ,40 ,40

## Open Grain for Wood Sanding

	7" Diameter		9" Dia	9" Diameter		7" Dian	9" Diameter		
Grade	Number	Price	Number	Price	Grade	Number	Price	Number	Price
*16	72786 72787	\$0.46	72898 72899	50.62 .48		72788 72789	\$0,38 .36	72810 72811	50.48 .48

\*No, 16 Biscs are packed 10 to a box. All other discs packed 75 to a box.

### BACKING PADS

7" Rubber Backing Pad, Catalog No. 74139, Price	\$3.50
9" Rubber Backing Pad, Catalog No. 74140. Price.	5.50
7" KOOLBACK Pad Price	5,00
Flexible (No. 2(261); Medium (No. 2(262); Rigid (No. 2(263)	
9" KOOLBACK Pad. Price	7.00
Flexible (No. 21264); Medium (No. 21265); Rigid (No. 21266)	
Classical Filter Green's control of the control of	

## BALL BEARING



## BENCH GRINDERS



## WITH AC MOTORS, SINGLE PHASE

115 or 220 volts, 50 or 60 cycles, as specified. 611 711

	Standard	Heavy Duty	Heavy	Meavy Duty	Heavy
Code No.	B634	865	875	BBS	810
Wheel Size	6"x1/2"	6"x34"	7"x1"	B"x1"	10"x1"
Motor Rating	1/4 H.P.	1/2 H.P.	1/2 H.P.	1/2 H.₽.	I H.P.
Spindle Thread	1/2"	1/2"	5/a 1	%"	3/4"
R.P.M. [60 cycle]	3450	3450	3450	3450	1750
R.P.M.  50 cycle}	2850	2850	2850	2650	1425
Weight, Lbs	35	581/2	69	71	137
Shipping Wh., Lbs	45	69	18	83	153
Length Overall	14"	19"	20"	20''	24"
Height Overall	9"	111/4"	11%"	121/4"	151/4"
Width Overall	71/5"	91/4"	Hi	HI"	<b>€</b> "
Bench Space (Base)	71/2" 271/2"		10%/16"x6%"	10%16" 16%"	131/2" 19%"
PRICE	\$42.00	\$63.00	\$88.00	\$96.00	\$150.00



6" Standard Duty

### ADDITIONAL MOTOR TYPES



## Standard Type EYE SHIELD

Shatterproof Glass Cat. No. 64482 Per Pair, \$3.75



#### Huminated Type EYE SHIELD

Shatterproof Glass Cat. No. 74367 Price Each, \$9.00

Grinder Size	Three Phase A.C., 50 or 60 cycles, 220 volts	25 Cycle A.C., single phase, 115 or 220 volts, as specified
6" Heavy Duty 7" Heavy Duty 8" Heavy Duty 10" Heavy Duty	\$ 80.00 95.00 110.00 150.00	\$ 75,00 100,00 110,00

EQUIPMENT. All Grinders equipped with two wheel guards, two adjustable fool roots, two grinding wheels (one coarse, one fine), toggle switch, 10 feet of 3-conductor cable with 2-prong plug and ground connector.

## MEDIUM GRADE GRINDING WHEELS, VITRIFIED

Wheel Size	Cat. No.	Price	Wheel Size	Cat, No.	Price
6"x1/2"x1/2" hole	72307	\$1.70	8"x1" x¾g" hole	72372	\$4.65
6"x1/4"x1/2" hole	72316	1.95	10"x1" x¾" hole	72404	6.55
T'vi" -56" hole	77354	2.50			

### STANDARD DUTY WIRE BRUSHES, ARBOR TYPE

		As ILB a	vauge		
Brush Size		30	33		Price
6"x1"x1/2" hole		73062	73068		\$2.30
7"11"x 1/2" hole		73063	73069		2,50
8"x11/2"x5/2" hole		73064	73070	i.	3.00
10"x11/2"x3/4" hole		73065	73071		4.80
	CLOTH	DUICEING	WHEELS		


	CLOTH BUFFING	WHEELS	Price Each.
Wheel Size	Cat. No.	Price Each	Pkg. of 5
6"x1/2"x1/2" hole	64419	\$1.00	50.90
6"x1/2"x1/2" hole 6"x1/2"x3/2" hole	64420	1.00	.90



## BENCH GRINDER PEDESTAL

For 6", 7" and 8" Bench Grinders Code BGS

Height311/4"
Base14"x14"
Weight 56 1/2 lbs.
Shipping Wt 62 lbs.
Equipped with detachable water
cup; Z each attachment boits,
nots and washers. Base has bolt
heles for rigid attachment to
floor.



## PORTABLE GRINDERS





Completely ball bearing machines with helical gearing, momentary switch with locking pin for continuous operation and other modern features of design for long, dependable operation.

	4].	5"	P.,	CUP	R A.
Code	ELAD	EL62	EN62*	EN72**	EN71
Wheel Size.	4"57/4"	5"x3/4"	6"x1"	5" Fl. Cup	7"
Spindle Thread	1/2"x13	1/2 "x13	5/8 "x	5/8 "x / 1	5/8"x11
Speed R.P.M.	6,000	4,500	4,000	4.500	5,500
Weight, Ibs	10	101/4	151/4	141/4	141/4
Shipping Wt., Ibs	15	15	23	22	22
Length Overall	1834"	183/4"	23 ¾ "	17"	17"
PRICE	\$77.50	\$90.00	\$112.00	\$95.00	\$95.00

EQUIPPED with general purpose grinding wheel and wheel guard; rubber tool guard with ELSB, ELSB and EN72, suspension hook with ENS2; EN72 equipped with detachable side handle; mamentary trigger switch and lock; seven feet of 3-conductor cable with 2-prong plug and ground connector. EN71 equipped with 7" Guard, Sacking plate, Spacing waster, Clamp out and wrench for depressed center wheel. No wheel furnished. "\*EN72 can be jurnished with same equipment as EN71 in place of standard equipment if specified. Optional: EN62—rubber tool guard in place of suspension hook, if specified; EN72—suspension hook in place of rubber tool guard, II specified.

\*FOR TUCK POINTING-6" Grinder can be equipped with 8" guard and 6" cutoff type wheel, specify Code EN64, price \$112.00.

## GRINDING WHEELS

#### STRAIGHT WHEELS (General Purpose Vitrified)

	P	_
Wheel Size	Cat. No.	Price
4"x 34"x 1/2" hole	72263	51.23
5"x 34"x 1/2" hole	72286	2.10
6"x 1" x %" hole	72333	2.25

## CUP WHEELS

### (General Purpose Bond)

	Threaded, 5/8"x11	
6"x 2"x ⅓8" hole	72458	57.45
5TRAIGHT CUP	72467	7.45
FLARED CUP	12401	7.45

### WIRE BRUSHES

#### STRAIGHT WIRE BRUSHES

Standard Duty	Arbor Hole	Adaptor	Туре
Brush Size	30 GA.	33 GA.	Price
4"x34" 1/2" hole	73061	73067	\$1.80
6"x1" x3'8" hole	73062	73068	2.30

#### CUP WIRE BRUSHES

#### General Purpose, %"x11 Threeded Arbor Hole

Diameter	Wire	Cat. No.	Price
6 inches	.020	73079	55.00
6 inches	.012	73078	4.60



## Silver Line

## POLISHERS

Correct power, speed, gearing and weight distribution for effortless cleaning and polishing. Frictionless ball bearing and pin roller bearings, spiral bevel gears, extra sturdy construction throughout with RESERVE POWER for longer lasting service.

## POLISHES



THOR "CAR FINISH"—Finest on market for long-lasting protection of new and old cers. Use only 21/2 ounces to beautify and protect average cer!

No. 22654, Price \$4.50 I GALLON "CAR FINISH," Catalog No. 22655, Price \$16.00

### CAR CLEANERS

Removes road grime, Recommended for use with "Car Finish" to remove previous polishes, glazes and waves.

No. I POLISH—for cars easy to clean. Cat. No. 22012, One Gallon, Price \$2,85 No. 2 POLISH—for cars hard to clean. Cat. No. 22013, One Gallon, Price \$3.50

#### CAR WAX

For finest luster, in one pound metal container, Cat. No. 22045. Price \$1.35



RUBBER BACKING PADS Topered book flexible pod (for use with or without fell pad), No.22483......Price, \$3.50



PNEUMATIC PAD Cetalog No. 66720......Price, S11.95



#### LAMESWOOL BONNEY Drawstring Type

Drawstring Type
Catalog No. 74329 (for use with combina- tion flexible pad and felt pad).
Price, each \$2.15
Price each, quantities of six
Catalog No. 81738 (for use with flexible pad
only), Price, each
Price each, quantities of six
LAMESWOOL PAD
Catalog No. 61112
Price Each, Quantity of Six \$1,50
FELT CUSHION PAD
Catalog No. 61111Price, \$1.25



Code		W 1 44 0 1 1
Spindle Thread		⅓''×11 1400 R.P.M.
Weight		151/4 lbs.
Shipping Wt	14 lbs.	20 lbs.
Length Overall	141/4"	17 3/4"
PRICE	\$75.00	\$83.00

EQUIPPED with rubber backing pad; nut; rubber tool guard; drawstring polishing bonnet; removable side handle for use on either side of fool; momentary trigger switch and lock; seven feet of 3-conductor cable with 2-prong plug and ground connector.



## VALVE REFACERS



## WET TYPE REFACER WITH FOUR-PURPOSE MICROMETER BUTT FIXTURE

Four-purpose Butt Fixture permits precision grinding (micrometer fed) of butt-ends of valve stems, tappats, rocker arms and also precision dresses butt grinding wheel.

#### EQUIPMENT

- 1 Collet, 9/32" to 9/16" capacity
  (Optional, 1/2" to 11/16")
  1 Offset Grinding Wheel, No. 73534
  1 Cup Grinding Wheel, No. 72533
  1 Micrometer Feed Butt Grinder Fixture Wheel dressing stand and dresser
  Extra dressing fixture for 90° flot valves
  Shaded lamp with swivel fixture
  1 pt. com concentrated Thor coolant
  Splesh guard
  ft. 3-conductor cable with 2-prong plug and
- ground connector

\*When specified,

#### SPECIFICATIONS

Base	1817 110	16" x 24"
Weight		255 lbs.
Shipping Weig		290 lbs.
PRICE		\$359.50

\$35950 Model

Extra heavy construction, automatic bearing compensation at critical points of wear. Sliding heads feature smooth-riding three-point suspension on hardened and ground slide rods for extra long and accurate service. Double-Grip Collet is hardened, ground and internally lapped, gear driven by its own individual motor. New Speed Chuck permits even larger butt-end valves to be admitted and released with only one turn of the new 21/4" hand wheel.

### EXTRA COLLETS

1/4 **	to	7/16"	Catalog	No.	80469.	14.00
9/32"	to	9/16.	Catalog	No.	74479	9.50
1/2	to	1/16	Catalog	No.	74500	11.90

## STREAMLINED WET TYPE REFACER

### EQUIPMENT

- I Collet, 9/32" to 9/16" capacity (Optional 1/2" to 11/16")
- 1 Offset grinding wheel, No. 73534 1 Wheel Dressing Stand and Dresser
- \*1 Extra dressing fixture for 90° flat valves
- 1 Shoded lamp with swivel fixture
- 1 i pt. can concentrated Thar coolant
- 1 Splash goard
- 7 ft. 3-canductor cable with 2-prong plug and ground connector

\*When specified.

#### SPECIFICATIONS

Base	16" x 24"
Weight	245 lbs.
Shipping Weight	280 lbs.
PRICE	

#### EXTRA EQUIPMENT

Attachment for grinding rocker arms and tappets on referer wheel. Cat. No. 78699. Price, \$18.50 



VALVE SHOPS



Series 100 Valve Shops include Model 100 Valve Refacer, fitted cabinet equipped with casters, No. SG Heavy Duty Valve Seat Grinder, No. 74241 Wheel Dresser, two wheel holders, No. 74666 Valve Refacer Cover and, where indicated, seat grinding wheels and pilots as listed at center of page.

	2 Roller Bearin	g Wheel Holders
Equipment	8 Wheels 5 Pilots	No Whoels or Pilots
Shop No. Price	222 \$558,00	292 \$535.00
	2 Pain Bearing	Wheel Helders
Equipment	8 Wheels 5 Pilats	No Wheels or Pilots
Shop No.	111 \$545.00	101 \$520.00

## WHEELS and PILOTS

furnished with Thor Valve Shops where indicated

1½" 45° Finishing Wheel, No. 74159
153" 45° Finishing Wheel, No. 74160
134" 45° Finishing Wheel, No. 74161
173" 45° Finishing Wheel, No. 74161
173" 45° Finishing Wheel, No. 74164
154" 30° Finishing Wheel, No. 74164
158" 45° Roughing Wheel, No. 74165
154" 45° Roughing Wheel, No. 74165
5/16" Expanding Pilot, No. 75736
11/32" Expanding Pilot, No. 75736
11/32" Plug Pilot (V8-85), No. 75745

(No. 80984 Pilot Wrench Furnished with Above)

Series 99 Valve Shops include Model 99 Valve Refacer, fitted cabinet equipped with casters, No. SG Heavy Duty Valve Seat Grinder, No. 74241 Wheel Dresser,

two wheel holders, No. 74666 Valve Refacer Cover and, where indicated, seat grinding wheels and pilots as listed at center of page.

	2 Roller Searing	g Wheel Holders
Equipment	8 Wheels 5 Pilots	No Wheels or Pilats
Shap No. Price	9922 \$495.00	9902 \$470.00
	2 Plain Searing	Wheel Holders
Equipment	8 Wheels 5 Pilots	No Wheels or Pilots
Shap No. Price	9911 \$480.00	9901 \$455,00





## VALVE SEAT GRINDERS

Thor

SEE VALVE SEAT KITS ON NEXT PAGE

1/2" straight haxagon spindle takes. Ther heavy duty wheel holders for driving up to 21/2" wheels. 55° angle head allows free access to back valve seats, makes for easier handling on V-type engines.

EQUIPPED with 7 ft. 3-conductor cable with 2-prong plug and ground connector.

Codo No	SG	SGY
Speed, R.P.M	12,000	10,000
Weight, Ibs.	51/4	51/4
Shipping Wt. Ibs	8	В
Length Overall	10 1/3"	10%"
Spindle Offset .	t	1"
PRICE	552.50	\$60.00



Splined spindle takes Thor extra heavy duty wheel holders for driving up to 4" wheels. (Adaptor with 1/2" straight hazagon drive for heavy duty wheel holders available at no extra charge when specified.)

EQUIPPED with 7 it. 3-conductor cable with 2-prong plug and ground connector.

Code No.	56H	5GHY
Speed, R.P.M.	8,000	10,000
Weight	6 lbs.	6 lbs.
Shipping Wit	_B1/4 lbs.	81/4 lbs.
Length Overall .	121/2"	121/2"
Spindle Offset	[11	1
PRICE	\$65.00	\$65.00



## WHEEL HOLDERS FOR THOR VALVE SEAT GRINDERS



PLAIN BEARING for use with Thor heavy duty grown Calif., No. 74MS, price, \$3,75 aach



SGLLER SEARING, for use with That heavy duty drivers Caralog No. 7414s, prine, \$10.85 each.



an ORT ROLLER SEARING, for an with Thos heavy Sury Srivers Co. (og No. 7635), price, \$10.00



A BEARING, to one with the of a heavy duty deliver Catalog N 81078, price \$17.50 each.



## VALVE SEAT KITS

## VALVE SEAT GRINDING **EQUIPMENT**



Ball Type PILOT WRENCH For %" stem pilot No. 80984 \$4.50



Heavy Duty WHEEL DRESSER Up to 31/2" Wheel No. 74241 \$24,50




Extra Heavy Daty WHEEL DRESSER Up to 6" Wheel No. 75652 \$89,50



FLEXIBLE SHAFT DRIVE (For use with Electric Orills)
1/4" Shank
1/4" Str. Hexagon Drive
No. 76099 \$2.50



HEX BALL ADAPTOR No. 74244 \$2.05



Thor Valve Seat Kits include SG Heavy Duty Valve Seat Grinder, two Wheel Holders as indicated, No. 74241 Wheel Dresser, Wheels and Pilots where indicated and No. 74243 fitted Metal Box.

		IEAVY DUT 5 Heavy Duty Val			
	2 Ruller Bearing	Wheel Holders	2 Plain Boaring	Wheel Holders	
Equip- ment	8 Wheels 5 Pilots	No Wheels or Pilats	8 Wheets 5 Pilots	No Wheels or Pilots	
Kit No. Shipping Wt. Lbs. Price	22 39 \$135.00	2 35 \$108,00	39 \$118,50	35 \$93.50	
	Wheels fu	rnished with No.	22 and No. 11 Kits		
1%" 45°	Finishing Wheel, N Finishing Wheel, N Finishing Wheel, N Finishing Wheel, N	o. 74160 o. 74161 o. 74162	1/2" 30" Finishing Who 34" 30" Finishing Who 5%" 45" Roughing Who 34" 45" Roughing Wh	sel, No. 74164 real, No. 74165	
	Pilots fur	nished with No.	22 and No. 11 Kits		
11/32" Ex	panding Pilot, No. 7 panding Pilot, No. 7 panding Pilot, No. 7	5735 F	1/ <sub>32</sub> " Plug Pilot (V8-85) ilot Wrench, No. 8078	), No. 75745 4	

## 22HD HEAVY DUTY KIT - \$170.00

1	56 Heavy Duty 55° Grinder	7	45"	Hara	Seat	Wheels		
1	No. 74243 Metal Kit Box		11/2"	No.	21234	2/8"	No.	21254
1	No. 74241 Wheel Dresser				21238			21258
2	No. 74145 Plain Searing Wheel Holders		134"	No.	21242	21/2"	No.	21330
3	No. 78392 5/16" Plug Pilots		1%"	No.	21246			
	(Standard +.001, +.002, +.003)	-	400			14661-		
3	No. 77654 11/32" Plug Pilots	1	45	POLL	sear	Wheels		
	(Standard +.001, +.002, +.003)		11/2"	No.	74168	21/8"	No.	74197
3	No. 78225 3/8" Plug Pilots		156"	No.	74165	21/4"	No.	74205
	(Standard +.001, +.002, +.003)		136"	No.	74166	21/2"	No.	74221
3	No. 78396 7/14" Plug Pilots		1 1/9"	No.	74185			
	(Standard +.001, +.002, +.003)	4	200	C 64	Sant !	Wheels		
1	No. 75745   1/32" Plug Pilot (V8-85)	-						
t	No. 80984 Pilot Wrench		1%	No.	74175	1%"	No.	74180
	Net Wt. 40 Lbs.			5	hippin	g Wt. 44	Lbs	-

## No 3 EXTRA HEAVY DUTY KIT - \$180.00

	THE STATE OF THE S		
	SGH Extra Heavy Duty Grinder	1	No. 75652 Extra Heavy Duty Wheel Drosser
2	No. 81078 Ball Bearing Wheel Holders (No Wheels or		No. 74243 Metal Kit Box
	Net Wt. 46 Lbs.	1115/11	Shipping Wt. 52 Lbs

## SPECIAL KITS

Contents of the following Kits have been checked with the manufacturer for suitability in servicing the specified equipment. Additional equipment available to adapt these Kits to general use.

Number	Description	Price	Write for Bulletin Number
22KF	Kaiser-Frazer	\$121.00	E-828
I I E-STU	Studebaker	155.00	JE-1246
22E-STU	Studebaker	170,00	JE-1246
IIP-STU	Studebaker	197.00	JE-1246
22P-STU	Studebaker	212.00	JE-1246
22B&S	Briggs and Stratton Engines	151.70	7646
23JD	John Deere Tractors	210.00	7228
N-OL	Oliver Tractors	149.00	JE- 183
11-50 b	All Make Cars, Trucks, Tractors		6379

## VALVE SHOP ACCESSORIES





Expand-



## PILOT WRENCH

Catalog No. 80984 (for use with %:" stem pllots using 74145, 74146, 76351 and 76365 wheel holders).

### EXPANDING PILOTS

For as	e ⊬ith Hear Nos. 741			orders
Size	Number	A	B	Price
9/32	75733	31/4	211	54.9
1/2	75794	51/4	211	4.9
17	93829	6	3%	4.9
11/32	75735	60	3 7/32	4.9
*[1/32	75349 75736	41/2 5%	31/6	4.9
% 25/64	83829	61/4	378	4.9
13/04	75737	676	37%	4.9
35	75738	615	3.6	4.9
15/32	75739	514	31/4	4.93
1/2	75740	63%	31/4	5.50
3	75741	7	31/4	6.05
56	75743	79/4	31/4	6.90

## EXTRA HEAVY DUTY 9/16" Diameter Shank

No. 76351 Wheel Holder

For use with Ertra Heavy Duty Wheel Hölder No. 75654

Size	Number	Α	В	Price
ı\	75663	81/4	334	\$6.05
36 30 30 30 30 30	75664	834	384	6.90
41	75.865	854	3%	7.15
36	TEALA	314	396	8.45

## PLUG PILOTS

HEAVY DUTY 16" Diameter Shank

For use with Heavy Duty Wheel Holders Nos. 74145 and 74146

Furnished in standard sizes indicated and in oversizes plus .001, .002, .003 and .004.

1		I MAM	B	
Size	Cat.	Overall	Shank	Price
	No.	Longih	Length	
1/4.11	76503	5%'"	4"	\$2.00
10	79042	51/4**	25611	2.00
de"	78360	51/2"	21/6**	2.00
15	79361	61/4"	21/6"	2.00
74	78638	5%**	21/211	2.00
11/32"	77654	61/5**	2% "	2.00
11/32"	78393	6"	2兆11	2.00
11/32"	79008	61/2"	31/6*1	2.00
.3452"	78227	6"	2%"	2.00
36"	77474	7"	3	2,00
76	78225	61/4"	28411	2.00
36"	78374	51/2**	21/2"	2.00
%"	78420	811	311	2.00
76	78422	71/4**	2%**	2.00
3/6"	78423	61/4"	21/4**	2.00
3960"	78226	6''	21/2"	2,00
72.00	78426	81/2"	3"	2.00
1/4"	78434	91/4**	33411	2.25
100	78536	01/2"	31/2"	2.25
.592**	75742	51/2"	3"	4.00
.850**	75744	434**	311	4.00
1,50	75745	434	3"	4.00

For use with HEAVY DUTY Wheel Holders, 11/16" x 11 Thread,

Nos. 74145, 74146 and 76351

Diam-	Price All Wheels	45°		30°				
		Roughing		51.51	Roughing		Finish-	150
		For Soft Soats	For Hard Seats	Finish- ing	For Saft Seats	For Hard Seets	ing ing	Narrow- Ing
11/6"	\$1.70	*21428	*22017	*21427				
11/4"	1.70	*21430	*22018	*21429	*21432	*22023	*21431	*21433
16年	1.70	*21435	*22019	*21434	*21437	*22024	*21436	*21438
1361"	1.70	*21440	*22020	*21437	+21442	*22025	*21441	*21443
1757	1.70	*21445	*22021	*21444	*2 447	*22026	*27446	*21448
15/2"	1.70	-21450	*22022	*2 449	*21452	*22027	*21451	*21453
15/2**	1.70	74163	21234	74159	74169	21235	74 63	74224
Fig.	1.70	74171	21236	74170	74173	21237	74172	74225
15/8"	1.70	74165	21230	74160	74175	21239	74174	74225
THE IS	1.70	74177	21240	74176	74179	21241	74178	74226
135.0	1.70	74166	21242	75161	74180	21243	74164	74226
1880	1.70	74382	21244	74181	74184	21245	74193	74227
1350	1.70	74185	21246	74162	74187	21247	74186	74227
1600	1.70	74169	21248	74188	74191	21249	74170	21392
2"	1.70	74249	21250	74248	74251	21251	74250	21302
21-	2.10	74193	21252	74192	74175	21253	74194	21.303
21/4"	2,30	74197	21254	74196	74199	21255	74-198	21:304
Z/2"	2,10	74201	21256	74200	74203	21257	74202	71309
21/4"	2.10	74205	21258	74204	74207	21259	74206	21306
2市"	2,10	74209	21324	74208	74211	21329	74210	21307
21/6"	2,10	74213	21326	74212	74215	21327	74214	21308
215	2.10	74217	21328	74216	74219	21329	74218	21309
20/2"	2,10	74221	2 330	74220	74723	21331	74222	21310
2:5	2.75		21332			21333		
2%	2.75	75980	21334	75 981	75982	21335	79793	21311
234 11	2.75	75984	21336	75795	75986	21337	75987	21312
211	2.75	75988	21330	75999		21339		21313
2%"	2.75	75,990	21340	75991	75992	2[34]	75993	21314
3"	2.75	75974	21342	75995	75996	21343	75997	21319
31/6**	3,50	75998	21344	75999	76000	21346	76001	21318
31/4"	3.50	75002	21346	76003	74004	21347	76005	21313
3%"	3.50	76004	21348	76007	78008	21349	76009	21311
31/211	3,50	76010	21350	76011	78012	21351	76013	2134

\*1½" Length, all others ¼" Length NOTE: 15° Wheels for International Trucks:

2½" 15° Roughing Wheel, Cat. No. 22035, Price \$2.10 2½" 15° Finishing Wheel, Cat. No. 22036, Price \$2.10

## For use with EXTRA HEAVY DUTY Wheel Holders, 1/8" x 14 Thread, No. 75654

Diam- eter	Price	45 °		30°			15*	
		Roughing 1		E1 11	Roughing		Fin-	Nar-
		For Soft Spats	For Hard Seats	Finish- ing	For Soit Seats	For Mard Seats	ish-	lng
2/4"	\$3.00	75857	27219	7555&	75559	22220	75558	
2%	00,6	75561	22221	75560	75563	22222	75562	22211
234"	3.00	75565	22223	75564	75567	22224	75566	22212
23/4"	3.00	75569	22275	75568	75571	22226	75570	22213
311	3.00	75573	22227	75572	75575	22228	75574	22714
31/4 "	3.25	75577	22229	75576	75579	22230	75578	22216
31/4"	3.25	79981	22231	75580	75583	22232	79592	22215
3%"	3.25	75585	22233	75594	75587	22234	75586	22217
31/2"	3.50	75589	22235	75888	75591	22236	75570	22218
356"	3.50	75593	22237	79592	75595	22238	75594	21401
334	3,50	75597	22239	75596	75599	72240	7559B	2/402
4	3.75	7560		75400	75603		75602	2/403
41/4	4.25	75-605		75604	75607		75606	21404
434	4.25	75609		75608	75611		75610	2 405
4%"	4.25	78613		75612	75415		75614	21406
434	4,25	75617		75616	75619		75618	21407
	4.50	75621		75620	75623		75622	21408
5"	4.50	75625		75624	75627		75626	21409
51/6"	5.00	75629		75428	75631		75630	21410
81/4"	5,25	75633		75632	75635		75634	21411
5%"	5.25	75637		75636	75639		75638	21412
51/5 ··	5.50	75541		75540	75.643		75642	21413
5%	5.75	75645		75644	75647		75646	21414
6"	6.00	75649		75648	75651		75650	21495

Wheels under 21/2" diameter are vitrified; all 21/2" and over are resinoid bonded.



## VALVE SHOP ACCESSORIES

## VALVE GUIDE CLEANERS REAMER TYPE

Size	Number	Price
9/32"	74228	\$1.10
5/16"	74229	1.10
11/32"	74230	1.10
3/6	74231	1.10
13/32"	74232	1.10
1/16"	74233	1.10
15/12"	74234	1.45
1/5"	74235	1,45
V16"	74236	1.45
.592***	74237	1.55
.830"**	74240	1.80
11/32"+	74239	1.85

### BRUSH TYPE

\*Ford A&B \*V3.50 | Y8.85

Size	Number	Price
5/16"	73081	50.74
11/12"	73087	.74
3/4"	73083	.74
13/32"	73084	.74
7/16"	73085	.74
1/2"	73086	.74
9/16"	73087	.74
3/8	73088	.74
19/32"	73069	.74
1 1/32 **	73090	.74



## DIAL INDICATOR GAUGES

HEAVY DUTY-Mounts on Thor Heavy Duty Pilots. Adjustable for seats from 11/8" to 31/2". Dial graduated in .001". Cat. No. 82457, price..... EXTRA HEAVY BUTY-Mounts on Thor Extra Heavy Duty Pilots. Adjustable for seats from 2%16" to 6". Dial graduated in .001". 

#### WHEEL DRESSING NIBS -- --- 11 1 7 7 7

Cat, No. 74448, price	\$5.00
For No. 74241 Valve Seat Wheel Dresser. Cat. No. 74327, price	\$5.00
For No. 75652 Valve Seat Wheel Dresser. Cat. No. 75667, price	\$6.50

## VALVE REFACER CABINET

As illustrated on page 32, heavy gauge steel construction with masonite table surface, swivel casters, 36" long x 20" wide x 33" high. 

### THOR COOLANT

THOR COOLANT is a concentrated soluble oil. Dilute with 50 parts of water to one of oil. Special formula keeps grinding wheels free cutting.

No. 20316,	Pint Can (makes 6 gallons).	
		.75
No. 20317,	Gallon Can (makes 50 gallons).	
Prime	54	.95

### VALVE REFACER COVER

Made of sturdy pyroxolin material, waterproof, cut to cover entire Model 99 or 100 unit. 

## VALVE REFACER GRINDING WHEELS

Application	Description	Size	Cal. No.	Price
Valve Refacing	Gen'l Purpose Offset	4"x 1" x 1/8" hole	73534	\$2.70
Butt Grinding	Gen'l Purpose Cup	4"x 1" x 5/8" hale	73533	2.40
Stellite Valve Refacing	Offset Wheel	4"x 1" x 5/2" hole	73535	2,45
90° Valve Refacing	Double Recessed Wheel	4"x 1/4"x 1/8" hole	74247	2.25



## CARBON CLEANING BRUSHES

1/4" Shanis chuck into Electric Drill for use in removing carbon deposits on cylinders, valve seats and combustion chambers. Also excellent for removing burrs, paint, rust, etc.



I" Diameter Straight Wise .028 Wire Size



Spec. Analysis Crimped Wire .020 Wire Size



I// Diameter Crimped Music Wire Music Wire 320 Wire Size



%" Diameter Crimped Music Wire ,018 Wire Size



1½" Diameter Crimped Music Wire .018 Wire Size




3" Diameter Flared Music Wire 020 Wire Size





Spiral Twist Spiral Twist ,020 Wise Size

## BODY and FENDER AIR HAMMER









Yoke No. 77287

## COMPLETE KIT

includes Thor Air Hammer, five yokes, four dollies, two dolly pins, one ripping chisel, one goo scraping chisel, one chisel adaptor and 25 feet of air hose and fittings. Complete equipment for reconditioning all turnet tops, hoods, hodies, doors and finders. bodies, doors and fenders,

Shipping Weight, 73 lbs.

\$148.50

## UTILITY KIT

includes Ther Air Hammer, three yokes (Nos. 77285, 77286, 77287), three dollies, two dolly pins and 25 feet of air hose and fittings. Handles most body shop jobs. Shipping Weight, 48 lbs.


\$110.00

### **AUXILIARY KIT**


converts Utility Kit into Complete Kit. In-cludes two yokes (Nos. 77288, 77289), one delly, one ripping chisel, one goo scraping chisel and one chisel adaptor.

Shipping Weight, 25 lbs.

\$44.00



Yoke No. 77298



772R9



## EASY TO OPERATE

BALL SWIVEL ACTION on both upper and lower dollies. Always aligns perfectly. Even inexperienced operators do perfect work first time.

PUSH BUTTON "ON-OFF" air control, Works like an electric switch, Leaves both hands free to manipulate hammer and work.

INDEPENDENT NEEDLE VALVE, with knurled nut control, regulates speed and power of the hammer from dead stop to full power.

SENSITIVE RATCHET CONTROL guides hammer to exect clamping position.

POSITIVE RATCHET LOCK, set or released by flip of the finger, holds hammer firmly locked in position.

RIGID YOKE LOCKING device permits quick changes of yokes, prevents wear and loose-fitting yokus.



## MULTIMATIC

## AIR TOOL KIT

Eight Complete Tools in One Compact Kit











38



7" DISC SANDER POLISHER Car. No. G-7A......S77.00



7" POLISHER Cat, No. G-8A......\$77.00



Equipped complete as illustrated with one air motor unit, handles, head units and accessories assembling either a 1/4" drill (button throttle or pistol grip), 1/2" right angle drill, right angle hole saw, 4" heavy duty grinder, 4" heavy duty wire brush, 7" disc sander, or 7" polisher. (Tools also available individually as illustrated at left).

Kit Complete Code G-9A \$156.00 Shipping Weight 29 lbs.





## FACTORY BRANCH REPAIR SERVICE

For Thor tool users and distributors. Thor operates completely equipped factory branches in principal cities . . . manned by factory trained tool engineers . . . well stocked with genuine Thor parts, to give you immediate repair service on all Thor power tools. These factory branches bring faster repair service—plus the added advantages of repair economy and new tool satisfaction . . , every tool repaired carries the same guarantee as a new tool! LET THE MEN WHO BUILT YOUR THOR TOOL SERVICE [T!] Be sore worn parts are replaced with genuine Thor parts!

## CATALOG SHEETS, MANUALS, PARTS LISTS

For the conscientious tool buyer who desires additional information not shown in the catalog, or who wishes to replace lost instruction manuals or parts lists, extra catalog sheets, manuals and parts lists are available at all Thor branches.

### GUARANTEE

All THOR Tools and Parts are guaranteed against any defect in material or workmanship. THOR will replace parts which, upon examination at THOR factory service branch (or factory), indicate that they are defective. The complete Tool or Part must be returned to a THOR factory branch (or THOR factory) transportation charges prepaid. No replacement will be made if repairs to the Tool or Part have been attempted by anyone excepting the above service stations.

## THOR POWER TOOL COMPANY

FACTORIES: ACRORA, ILL. LOS ANGELES, CALIF. NEWCASTLE-ON-TYNE, ENGLAND

### EXPORT DIVISION

330 W. 42nd St., New York 36, N. Y.—Cable Address THORTOOLS LONDON, ENGLAND TORONTO, CANADA JOHANNESBURG, SO. AFRICA HERRAMIENTAS THOR DE MEXICO, S.A. DE C.V. MEXICO, D.F., MEXICO

"THOR TOOL NEMISPHERE, INC."
São Paulo, Brazil

"THOR TOOL CONTINENTAL, INC."
Antwerp, Belgium

### FACTORY BRANCHES

BIRMINGHAM 4, ALA, 1411 '3rd Avr., N.

BOSTON 15, MASS. 58 Brookling Ave.

BUFFALO 23, N. Y. 735 Military Road

CRICAGO 7, R.L. 1405 W. Washington Blvd.

CINCINNATI 12. O. 3726-28 Floral Ave.

CLEVELAND 3, O. E. 40th & Payne Ave.

DENVER 4, COLO, 1040 Speer Blvd.

DETROIT 3, MICH, 15005 Woodrow Wilson

HOUSTON 11, TEXAS 7241 Harrisburg Blvd. (P. O. Box 9384)

LOS ANGELES 22, CAL. 6200 E. Slauson Ave.

MILWAUKEE 3, WIS. 1816 W. State St.

NEWARK 7, NEW JERSEY I Tichenor Lane Corner of Parkhurst St.

NEW YORK Long Island City 32-34 Greenpaint Ave.

PHILADELPHIA 30, PA, 1701 Fairmount Ave.

PITTSBURGH 21, PA. 204 Thomas St.

ST. LOUIS 8, MO. 4041 Forest Park Blvd.

ST. PAUL 2, MINN. 220 W. 7th St.

SALT LAKE CITY 4, UTAH 116 W. South Second St.

SAN FRANCISCO 3, CAL. 315 S. Van Ness Ave.

> SEATTLE 22, WASIL 611 E, Pike St.

TORONTO, ONT., CAN. -1909 Davemport Rd.

